INDEXES TO THE JOURNAL AND COMMUNICATIONS

compiled by the

The American Ceramic Society

VOLUME 66, 1983

AUTHOR INDEX TO THE JOURNAL AND COMMUNICATIONS

Numbers in parentheses refer to *monthly* issue of *the Journal* and *Communications*; numbers following are *page* numbers.

Abbas, A. F. See Ahmed, A. A.

Abdul-Maula, Samir See Odler, Ivan

Abe, Yoshihiro See Hosono, Hideo

Abha, K. See Singh, N. B.

Adawi, Mohamed A. See Morsi, Morsi M.

Ahmed, A. A.; and Abbas, A. F.
Optical absorption characteristics of Ni^{2+} in mixed-alkali borate glasses (6) 434

Ahn, Channing C.; and Thomas, Gareth
Microstructure and grain-boundary composition of hot-pressed silicon nitride with yttria and alumina (1) 14

Aksay, I. A.; Lange, F. F.; and Davis, B. I.
Uniformity of Al_2O_3-ZrO_2 composites by colloidal filtration (10) C190

Aksay, Ilhan A. See Lange, F. F.

Amin, Ahmed; Spears, Marlene A.; and Kulwicki, Bernard M.
Reaction of anatase and rutile with barium carbonate (10) 733

Ammar, M. M.; Gharib, Sayed A.; Halawa, Madiha M.; El-Batal, Hatem A.; and El-Badry, Khairy
Thermal conductivity of silicate and borate glasses (5) C76

Ando, Ken See Oishi, Yasumichi

Ando, Ken; and Oishi, Yasumichi
Effect of ratio of surface area to volume on oxygen self-diffusion coefficients determined for crushed MgO-Al_2O_3 spinels (8) C131

Ando, Ken; Oishi, Yasumichi; Hase, Hiroyuki; and Kitazawa, Koichi
Oxygen self-diffusion in single-crystal Y_2O_3 (12) C222

Angelini, Peter See Krautwasser, P.; Stinton, David P.

Angell, C. Austen See Martin, Steve W.

Apte, P. S. See Burk, R. C.

Arora, S. K.; Godbole, R. S.; and Trivikrama Rao, G. S.
Characterization of flux-grown $Ca(WO_4)_x(MoO_4)_{1-x}$ crystals (5) 321

Ashizuka, M.; Easler, Timothy E.; and Bradt, R. C.
Statistical study of thermal shock damage of a borosilicate glass (8) 542

Baganasen, Larry M.; and Risbud, Subhash H.
Silicon-free oxynitride glasses via nitridation of aluminate glassmelts (4) C69

Bajolet, Ph. See Haussonne, J. M.

Balachandran, U. See Odekirk, Bruce

Balazs, G. Bryan See Schreiber, Henry D.

Bamberger, Carlos E. See Brynestad, Jorulf

Bamberger, Carlos E.; Begun, George M.; and Heatherly, Dale E.
Synthesis of metal phosphates using SiP_2O_7 (11) C208

Banerjee, Pranab K. See Bendow, Bernard

Bansal, Narottam P.; and Doremus, Robert H.
Surface crystallization of a fluoride glass (8) C132

Bansal, Narottam P.; Doremus, Robert H.; Bruce, A. J.; and Moynihan, Cornelius T.
Kinetics of crystallization of ZrF_4-BaF_2-LaF_3 glass by differential scanning calorimetry (4) 233; Kinetics of crystallization of ZrF_4-BaF_2-LaF_3 glass by differential scanning calorimetry—reply (11) C218

Barco, Luigi See Beruto, Dario

Bartlett, R. A. See McEntire, B. J.

Bates, J. Lambert See Marchant, David D.

Baur, Werner H. See Tillmanns, Ekkehart

Bazan, F. See Ryerson, Frederick J.

Becher, Paul F.
Slow crack growth behavior in transformation-toughened Al_2O_3-$ZrO_2(Y_2O_3)$ ceramics (7) 485; Strength retention in SiC ceramics after long-term oxidation (8) C120; See also Ferber, Mattison K.

Begun, George M. See Bamberger, Carlos E.; Krautwasser, P.

Bendow, Bernard; Banerjee, Pranab K.; Drexhage, Martin G.; El-Bayoumi, Osama H.; Mitra, Shashanka S.; Moynihan, Cornelius T.; Gavin, David; Fonteneau, Giles; Lucas, Jacques; and Poulain, Marcel
Effect of aluminum content on infrared characteristics of BaF_2/ThF_4-containing glasses (4) C64

Bennison, Stephen J.; and Harmer, Martin P.
Effect of MgO solute on the kinetics of grain growth in Al_2O_3 (5) C90

Bentsen, Larry D.; Hasselman, D. P. H.; and Ruh, Robert
Effect of hot-pressing temperature on the thermal diffusivity/conductivity of SiC/AlN composites (3) C40

Bentzen, Janet J.
Three crystalline polymorphs of $KFeSiO_4$, potassium ferrisilicate (7) 475

Beretka, Julius; and Brown, Trevor
Effect of particle size on the kinetics of the reaction between magnesium and aluminum oxides (5) 383

Beruto, Dario; Barco, Luigi; and Searcy, Alan W.
Rearrangement of porous CaO aggregates during calcite decomposition in vacuum (12) 893

Besmann, Theodore M.
Thermodynamic measurements and modeling of $<UC_{1-x}O_x>$ (5) 353

Besmann, Theodore M.; and Lindemer, Terrence B.
Assessment of the thermodynamic values for $<PuO_{1.5}>$ and high-temperature determination of the values for $<PuC_{1.5}>$ (11) 782

Biggers, James V. See Chess, Daniel L.; Cho, S. H.; Hiremath, B. V.; Lin, Sheng-he

Bihuniak, Peter P.
Effect of trace impurities on devitrification of vitreous silica (10) C188

Bihuniak, Peter P.; Calabrese, Andrew; and Erwin, Emmett M.
Effect of trace impurity levels on the viscosity of vitreous silica (8) C134

Bischoff, Ewald; and Ruehle, Manfred
Twin boundaries in monoclinic ZrO_2 particles confined in a mullite matrix (2) 123

Blakemore, J. S. See Odekirk, Bruce

Bleier, Alan
Fundamentals of preparing suspensions of silicon and related ceramic powders (5) C79

Boryta, Daniel A. See Brown, Patrick M.

Bowen, H. Kent See Mizusaki, Junichiro

Bradt, R. C. See Ashizuka, M.; Peretz, I.; Zdaniewski, Wieslaw A.

Brinker, C. J.; and Haaland, D. M.
Oxynitride glass formation from gels (11) 758

Brook, R. J. See Dosdale, T.

Brow, Richard K.; and LaCourse, William C.
Fluorine treatments of soda-lime silicate glass surfaces (8) C123

Brown, Patrick M.; and Boryta, Daniel A.
Lithium carbonate/sodium sulfate eutectic—An additive for improving glass production (9) 660

Brown, Sherman D.; Tran, Van Bao; and Wirtz, Gerald P.
Radioactive tracer method for measuring the relative surface areas of small samples (7) C115

Brown, Trevor See Beretka, Julius

Bruce, Allen J. See Bansal, Narottam P.

Brynestad, Jorulf; Bamberger, Carlos E.; Land, J. Fred; and Finch, Cabell B.
Removal of oxide contamination from TiB_2 powders (11) C215

Buchanan, Reiva C.; and Sircar, Anup
Densification of calcia-stabilized zirconia with borates (2) C20

Buckwalter, Charles Q., Jr. See McVay, Gary L.

Burk, R. C.; Zawidzki, T. W.; and Apte, P. S.
Particle size distribution and its relation to sintering—a case study for UO_3 powders (11) 815

Calabrese, Andrew See Bihuniak, Peter P.

Campbell, Allan B. See Taylor, Peter

Campbell, J. H. See Ryerson, Frederick J.

Cannon, W. Roger See Mizusaki, Junichiro

Capella, Steven See Tomozawa, Minoru

Carniglia, Stephen C.
Thermochemistry of the aluminas and aluminum trihalides (7) 495

Carry, Claude See Thong, Ngo

Chadwick, D. L. See Nassau, Kurt

Chakraborty, Indra N.; and Condrate, Robert A., Sr.
Raman spectra of potassium borogermanate glasses with high B_2O_3 contents (4) C71

Chang, Luke L. Y. See Gardinier, Clayton F.

Chung, W. S.; Knight, C. E.; Hasselman, D. P. H.; and Mitchiner, R. G.
Analysis of thermal stress failure of segmented thick-walled refractory structures (10) 708

Chantikul, P.; Lawn, Brian R.; Richter, Herbert; and Freiman, Stephen W.
Relation between multiregion crack growth and dynamic fatigue of glass using indentation flaws (7) 515

Chatfield, Chris; and Norstroem, Hans
Plasma etching of sialon (9) C168

Chaudhri, M. M. See Tang, T. B.

Chen, Ching-Hwa; Notis, Michael R.; and Williams, David B.
Precipitation and solid solubility in the system NiO-Cr_2O_3 (8) 566

Chen, H. S.; and Kurkjian, C. R.
Sub-sub-T_g enthalpy relaxation in a B_2O_3 glass (9) 613

Chen, Z. X.; Zhang, X. L.; and Cross, Leslie E.
Low-temperature dielectric properties of ceramic potassium tantalate ($KTaO_3$) (7) 511

Chess, Catherine A. See Chess, Daniel L.

Chess, Daniel L.; Chess, Catherine A.; Biggers, James V.; and White, William B.
Processing ternary sulfide ceramics—powder preparation, sintering, and hot-pressing (1) 18

Chess, Daniel L.; Chess, Catherine A.; and White, William B.
Precursor powders for sulfide ceramics prepared by evaporative decomposition of solutions (11) C205

Chiang, Shu-Sheng; and Evans, Anthony G.
Influence of a tangential force on the fracture of two contacting elastic bodies (1) 4

Chiang, Yet-Ming See Henriksen, Anders F.

Chiang, Yet-Ming; and Kingery, W. D.
Spinodal decomposition in a K_2O-Al_2O_3-CaO-SiO_2 glass (9) C171
Cho, S. H.; and Biggers, James V.
Characterization and sintering of lead zirconate-titanate powders (10) 743
Choisnet, J. See Quemeneur, L.
Clark, J. Brian See Kingon, Angus I.
Clarke, David R.
Comparison of reducing and oxidizing heat treatments of hot-pressed silicon nitride (2) 92; High-temperature environmental strength degradation of a hot-pressed silicon nitride—an experimental test (2) 156
Claussen, Nils See Prochazka, Svante; Swain, Michael V.
Coble, Robert L. See Friederich, Kilian M.
Coudrate, Robert A., Sr. See Chakraborty, Indra N.
Cook, Robert F. See Fuller, Edwin R.
Cook, Robert F.; and Lawn, Brian R.
Modified indentation toughness technique (11) C200
Cooper, A. R. See Reddy, K. P. R.
Cooper, Emanuel I. See Martin, Steve W.
Corelli, J. C.; Hoole, J.; Lazzaro, J.; and Lee, C. W.
Mechanical, thermal, and microstructural properties of neutron-irradiated SiC (7) 529
Coupe, Rejane; Louer, Daniel; Lucas, Jacques; and Leonard, Andre J.
X-ray scattering studies of glasses in the system ZrF_4-BaF_2 (7) 523
Coutures, Jean-Pierre See Duran, Pedro
Cross, Leslie E. See Chen, Z. X.; Yao, Xi
Danforth, Stephen C. See Iqbal, Asif
Danforth, Stephen C.; and Haggerty, John S.
Mechanical properties of sintered and nitrided laser-synthesized silicon powder (4) C58; Microstructural characterization of graded-index antireflective films (1) C6
Davis, Burt I. See Aksay, I. A.; Lange, F. F.
Davis, Robert F. See Kingon, Angus I.
De Jonghe, Lutgard C. See Hitchcock, David C.
Dean, E. A.
Elastic moduli of porous sintered materials as modeled by a variable-aspect-ratio self-consistent oblate-spheroidal-inclusion theory (12) 847
Dean, E. A.; and Lopez, J. A.
Empirical dependence of elastic moduli on porosity for ceramic materials (5) 366
Desa, J. A. Erwin See Sinclair, Roger N.
Desgardin, G. See Haussonne, J. M.
DiMilia, Robert A.; and Reed, James S.
Stress transmission during the compaction of a spray-dried alumina powder in a steel die (9) 667
Diamond, Sidney
Effects of microsilica (silica fume) on pore-solution chemistry of cement pastes (5) C82
Dole, Stephen L.; and Hunter, Orville, Jr.
Elastic properties of hafnium and zirconium oxides stabilized with praseodymium or terbium oxide (3) C47
Donaghy, F. A.; and Nicol, D. R.
Evaluation of the fatigue constant n in optical fibers with surface particle damage (8) 601
Doremus, Robert H. See Bansal, Narottam P.; Olbert, Blain H.
Dorris, S. E. See Trestman-Matts, A.
Dosdale, T.; and Brook, R. J.
Comparison of diffusion data and of activation energies (6) 392; Comparison of diffusion data and of activation energies—reply (11) C217
Dove, Derek B. See Takamori, Takeshi
Drexhage, Martin G. See Bendow, Bernard
Duckworth, Winston H. See Shetty, Dinesh Kumar
Duran, Pedro See Pascual, Carmen
Duran, Pedro; Pascual, Carmen; Coutures, Jean-Pierre; and Skaggs, Samuel R.
Phase relations and ordering in the system erbia-hafnia (2) 101
Dynys, F. W.; and Halloran, J. W.
Compaction of aggregated alumina powder (9) 655
Easler, Timothy E. See Ashizuka, M.; Zdaniewski, Wieslaw A.
El-Badry, Khairy See Ammar, Mohamed M.
El-Batal, Hatem A. See Ammar, Mohamed M.
El-Bayoumi, Osama H. See Bendow, Bernard
El-Konsol, Salah See Morsi, Morsi M.
Emery, Ashley F. See Kobayashi, Albert S.
Eppler, Richard A.
Inverse spinel pigments (11) 794
Ernsberger, F. M.
Nonconformist ion (11) 747
Eror, Nicholas G. See Odekirk, Bruce
Erwin, Emmett M. See Bihuniak, Peter P.
Evans, Anthony G. See Chiang, Shu-Sheng; Faber, K. T.; Lamon, Jacques; Marshall, David B.; Ruf, H.; Sakarcan, Metin
Ezz El Din, F. M. See Ghoneim, N. A.
Faber, K. T.; and Evans, Anthony G.
Intergranular crack-deflection toughening in silicon carbide (6) C94
Farmer, Serene C.; Schoenlein, Larry H.; and Heuer, A. H.
Precipitation of $Mg_2Zr_5O_{12}$ in MgO-partially-stabilized ZrO_2 (7) C107
Ferber, Mattison K.; Becher, Paul F.; and Finch, Cabell B.
Effect of microstructure on the properties of TiB_2 ceramics (1) C2
Finch, Cabell B. See Brynestad, Jorulf; Ferber, Mattison K.
Fonteneau, Gilles See Bendow, Bernard
Fragneau, Marc; and Revcolevschi, Alexandre
Crystallography of the directionally solidified NiO-CaO eutectic (9) C162
Freiburg, Christoph See Solomah, Ahmad G.
Freiman, Stephen W. See Chantikul, P.; Michalske, Terry A.
Friederich, Kilian M.; and Coble, Robert L.
Influence of boron on chemical interdiffusion in SiC during conversion of silicon fibers to SiC (8) C141
Frischat, Guenther H.; Speyer, Sabine; and Wegener, Wolfgang
Properties of glasses in the system AgI-Ag_2O-B_2O_3 (8) C122
Frueholz, R. P.; and Wun-Fogle, M.
Finite difference numerical analysis of phase-boundary reaction models for cesium penetration into glass (9) 605
Fujii, Kinjiro; and Kondo, Wakichi
Estimation of thermochemical data for calcium silicate hydrate (C-S-H) (12) C220
Fuller, Edwin R.; Lawn, Brian R.; and Cook, Robert F.
Theory of fatigue for brittle flaws originating from residual stress concentrations (5) 314
Gallagher, Patrick K.; Gyorgy, E. Michael; Johnson, David W., Jr.; Robbins, Murray; and Vogel, Eva M.
Preparation of Mn-Zn ferrites having a low temperature coefficient of permeability (7) C110
Gardinier, Clayton F.; and Chang, Luke L. Y.
Phase relations in the system Li_2O-ZrO_2-SiO_2 (10) C186
Garvie, Ronald C. See Swain, Michael V.
Gavin, David See Bendow, Bernard
Gharib, Sayed A. See Ammar, M. M.
Ghoneim, N. A.; Moustaffa, F. A.; Zahran, A. H.; and Ezz El Din, F. M.
Gamma-ray interaction with lead borate and lead silicate glasses containing manganese (6) 447
Godbole, R. S. See Arora, S. K.
Goldman, Don S.
Oxidation equilibrium of iron in borosilicate glass (3) 205
Goldman, Don S.; and Gupta, Prabhat K.
Diffusion-controlled redox kinetics in a glassmelt (3) 188
Goldman, Dov B.
Mechanism and kinetics of reactions in the system Ni-Ti-O (11) 811
Gordon, Ronald S. See Ikuma, Yasuro; McEntire, B. J.
Graham, Henry C. See Lange, F. F.
Green, David J.
Compressive surface strengthening of brittle materials by a residual stress distribution (11) 807; Fracture toughness predictions for crack bowing in brittle particulate composites (1) C4; Fracture toughness/Young's modulus correlation for low-density fibrous silica bodies (4) 288; Technique for introducing surface compression into zirconia ceramics (10) C178. See also Lange, F. F.
Green, David J.; Hawkins, Christopher A.; and Hirlinger, Margaret M.
Double-cantilever-beam testing of a transversely isotropic fibrous silica material (1) 46
Green, David J.; Lange, F. F.; and James, Michael R.
Factors influencing residual surface stresses due to a stress-induced phase transformation (9) 623
Greil, Peter See Huang, Zhen-kun
Gupta, Prabhat K. See Goldman, Don S.
Gyorgy, E. Michael See Gallagher, Patrick K.
Haaland, D. M. See Brinker, C. J.
Haggerty, John S. See Danforth, Stephen C.; Iqbal, Asif
Halawa, Madiha M. See Ammar, M. M.
Halloran, J. W. See Dynys, F. W.
Hamada, Akira See Tatsumisago, Masahiro
Hannink, Richard H. J. See Swain, Michael V.
Harmer, Martin P. See Bennison, Stephen J.
Harmer, Martin P.; Mishra, Raja K.; and Thomas, Gareth
Electron microscopy of annealed $(Ni,Zn,Co)Fe_2O_4$ (3) C44
Hart, S. See Res, Miloslav A.
Hase, Hiroyuki See Ando, Ken
Hasselman, D. P. H. See Bentsen, Larry D.; Chang, W. S.; Morena, R.; Singh, Jitendra P.; Stiffler, Richard C.; Ozyener, T.
Hasselman, D. P. H.; and Venkateswaran, Anuradha
Effect of cavities on creep (3) C36
Hastings, Ian J.
Effect of initial grain size on fission gas release from irradiated UO_2 fuel (9) C150
Hatakka, Leena See Westerlund, Tapio
Haussonne, J. M.; Desgardin, G.; Bajolet, Ph.; and Raveau, B.
Barium titanate perovskite sintered with lithium fluoride (11) 801
Hawkins, Christopher A. See Green, David J.
Hayashi, Shinsuke See Hiraga, Kenji
Heatherly, Dale E. See Bamberger, Carlos E.
Held, P. R. See Shetty, Dinesh Kumar
Hellmann, John R.; and Stubican, Vladimir S.
Phase relations and ordering in the systems MgO-Y_2O_3-ZrO_2 and CaO-MgO-ZrO_2 (4) 265; Stable and metastable phase relations in the system ZrO_2-CaO (4) 260
Henriksen, Anders F.; Chiang, Yet-Ming; Kingery, W. D.; and Petuskey, William T.
Enhanced oxygen diffusion at 1400°C in deformed single-crystal magnesium oxide (8) C144
Herbell, Thomas P. See Sanders, William A.
Heuer, A. H. See Farmer, Serene C.
Heyer, Wolfgang See Kaerger, Joerg
Higby, Paige L.; and Shelby, James E.
Properties of glass/alumina composites (12) C229
Hirabayashi, M. See Hiraga, Kenji
Hiraga, Kenji; Hirabayashi, M.; Hayashi, Shinsuke; and Hirai, T.
High-resolution electron microscopy of chemically vapor-deposited β-Si_3N_4-TiN composites (8) 539
Hirai, T. See Hiraga, K.
Hirashima, Hiroshi; Nishii, Kota; and Yoshida, Tetsuro
Electrical conductivity of TiO_2-V_2O_5-P_2O_5 glasses (10) 704
Hiremath, B. V.; Kingon, Angus I.; and Biggers, James V.
Reaction sequence in the formation of lead zirconate-lead titanate solid solution: Role of raw materials (11) 790
Hirlinger, Margaret M. See Green, David J.
Hiro, Yoji See Oishi, Yasumichi
Hitchcock, David C.; and De Jonghe, Lutgard C.
Fracture toughness anisotropy of sodium β-alumina (11) C204
Hodge, James D.
Comparison of diffusion data and of activation energies—comment on (11) C216; Growth of beta alumina on aluminum oxide (9) C154; Kinetics of the β''-to-β transformation in the system Na_2O-Al_2O_3 [13] 166
Hofmeister, Wolfgang See Tillmanns, Ekkehart
Hojo, Junichi; Miyachi, Kenji; Okabe, Yasuzo; and Kato, Akio
Effect of chemical composition on the sinterability of ultrafine SiC powders (7) C114
Hoole, J. See Corelli, J. C.
Hoshino, Kazutomo; and Peterson, N. L.
Cation self-diffusion in Cr_2O_3 (11) C202
Hosono, Hideo; Abe, Yoshihiro; Kawazoe, Hiroshi; and Imagawa, Hiroshi
Photochemical reaction in a reduced soda-lime-silica glass containing Ce^{3+} and As^{3+} (10) C192
Hriljac, Joe See Wu, Zhao-qi
Hrma, Pavel
Criteria for physical modeling of electric glassmelting furnaces (7) 519; Effect of surface saturation on transfer of water in saturated ceramic bodies (5) C89
Hsueh, C. H. See Sakarcan, Metin
Huang, Yu-zhen See Yen, Tung-sheng
Huang, Zhen-kun; Greil, Peter; and Petzow, Guenter
Formation of α-Si_3N_4 solid solutions in the system Si_3N_4-AlN-Y_2O_3 (6) C96
Huffine, Coy L. See Takamori, Takeshi
Hughes, John M. See Yau, Yu-Chyi
Hunter, Orville, Jr. See Dole, Stephen L.
Huseby, Irvin C.
Synthesis and characterization of a high-purity AlN powder (3) 217
Hwang, Chao-lung See Wu, Zhao-qi
Igarashi, Hideji See Yamamoto, T.
Ii, Nobuo See Makishima, Akio
Ikuma, Yasuro; and Gordon, Ronald S.
Effect of doping simultaneously with iron and titanium on the diffusional creep of polycrystalline Al_2O_3 (2) 139
Imagawa, Hiroshi See Hosono, Hideo
Inagaki, Michio See Sakai, Mototsugu
Inoue, Hiroyuki See Miyayama, Masaru
Ioan, C. See Jemna, Irina
Iqbal, Asif; Danforth, Stephen C.; and Haggerty, John S.
Development of porous antireflective films on borosilicate glasses (4) 302
Jain, H.; and Peterson, Norman Lee
Impurity alkali diffusion in sodium-cesium silicate glasses (3) 174
Jakus, Karl See Ritter, John E., Jr.
James, Michael R. See Green, David J.; Lange, F. F.
Janowski, Frank See Kaerger, Joerg
Jayaram, Vikram; and Sinclair, Robert
Detection of thin intergranular cobalt layers in WC-Co composites by lattice imaging (8) C137
Jemna, Irina; Luca, E.; Nicolau, P.; Tanasoiu, C.; and Ioan, C.
Use of autocorrelation analysis in the evaluation of piezoelectric coupling of modified PLZT ceramics subjected to high electric fields (9) C166
Johnson, D. W., Jr. See Rabinovich, E. M.; Wood, D. L.; Gallagher, Patrick K.
Johnson, D. W., Jr.; Rabinovich, E. M.; MacChesney, J. B.; and Vogel, Eva M.
Preparation of high-silica glasses from colloidal gels: II, Sintering (10) 688
Kaba, Takahiro; Shimada, Masahiko; and Koizumi, Mitsue
Diffusional reaction-bonding of Si_3N_4 ceramics under high pressure (8) C135
Kaerger, Joerg; Lenzner, Joerg; Pfeifer, Harry; Schwabe, Hartmut; Heyer, Wolfgang; Janowski, Frank; Wolf, Friedrich; and Zdanov, Sergej Petrovic
NMR study of adsorbate self-diffusion in porous glasses (1) 69

Kagawa, M.; Kikuchi, M.; Syono, Y.; and Nagae, T.
Stability of ultrafine tetragonal ZrO_2 coprecipitated with Al_2O_3 by the spray-ICP technique (11) 751

Kanazawa, Takanobu See Kimura, Toshio

Karlsson, Kaj H. See Westerlund, Tapio

Kato, Akio See Hojo, Junichi

Kato, Etsuro See Murase, Yoshio

Katsuta, Shinichi See Miyayama, Masaru

Kawai, Akira See Okamoto, Shoichi

Kawashima, Syunichiro; Nishida, Masamitsu; Ueda, Ichiro; and Ouchi, Hiromu
$Ba(Zn_{1/3}Ta_{2/3})O_3$ ceramics with low dielectric loss at microwave frequencies (6) 421

Kawazoe, Hiroshi See Hosono, Hideo

Khadilkar, C. S. See Sacks, Michael D.

Khalil, M. Yasser; and White, William B.
Magnesium titanate spinel: A ceramic phase for immobilization of technetium-99 from radioactive wastes (10) C197

Kikuchi, M. See Kagawa, M.

Kikuchi, Takeshi See Watanabe, Akiteru

Kimura, Toshio; Kanazawa, Takanobu; and Yamaguchi, Takashi
Preparation of $Bi_4Ti_3O_{12}$ powders in the presence of molten salt containing LiCl (8) 597

Kimura, Toshio; Machida, Masataka; Yamaguchi, Takashi; and Newnham, Robert E.
Products of reaction between PbO and Nb_2O_5 in molten KCl or NaCl (10) C195

Kingery, W. D. See Chiang, Yet-Ming; Henriksen, Anders F.; Oishi, Yasumichi

Kingon, Angus I. See Hiremath, B. V.

Kingon, Angus I.; and Clark, J. Brian
Sintering of PZT ceramics: I, Atmosphere control (4) 253; Sintering of PZT ceramics: II, Effect of PbO content on densification kinetics (4) 256

Kingon, Angus I.; Lutz, Leonard J.; and Davis, Robert F.
Thermodynamic calculations for the chemical vapor deposition of silicon nitride (8) 551

Kingon, Angus I.; Lutz, Leonard J.; Liaw, P.; and Davis, Robert F.
Thermodynamic calculations for the chemical vapor deposition of silicon carbide (8) 558

Kinser, Donald L. See Magruder, Robert H., III

Kirchner, H. P.; Tiracorda, J. A.; and Larchuk, T. J.
Elastic recovery at static loading and impact indentations in MgF_2 (11) 786

Kirchner, Henry P.; and Ragosta, John A.
Relation of load to radial crack length for spherical indentations in hot-pressed ZnS (4) 293

Kitazawa, Koichi See Ando, Ken

Klug, F. J. See Prochazka, S.

Knight, Charles Eugene See Ozyener, T.; Chang, W. S.

Kobayashi, Albert S. See Komine, Atsutomo

Kobayashi, Albert S.; Emery, Ashley F.; and Liaw, Been Ming
Dynamic fracture toughnesses of reaction-bonded silicon nitride (2) 151

Kobayashi, Kenkichiro See Okamoto, Shoichi

Koizumi, Mitsue See Kaba, Takahiro; Suganuma, Katsuaki

Komarneni, Sridhar; and Roy, Rustum
Hydrothermal reaction and dissolution studies of $CsAlSi_5O_{12}$ in water and brines (6) 471

Kometani, T. Y. See Luther, L. C.

Komine, Atsutomo; and Kobayashi, Albert S.
Fracture behavior of the space shuttle thermal protection system (9) 641

Kondo, Wakichi See Fujii, Kinjiro

Kosha, Hideaki See Yamaguchi, Takashi

Kostikas, A. See Maniatis, Y.

Koumoto, Kunihito; Yamayoshi, Keiko; and Yanagida, Hiroaki
Electrical conduction in $Co_{1-x}Mg_xO$ (1) 42

Kozak, Samuel J. See Schreiber, Henry D.

Krautwasser, P.; Begun, G. M.; and Angelini, Peter
Raman spectral characterization of silicon carbide nuclear fuel coatings (6) 424

Kriven, W. M.; and Pask, Joseph A.
Solid solution range and microstructures of melt-grown mullite (9) 649

Kroeger, F. A.
Oxidation-reduction and the major type of ionic disorder in α-Al_2O_3 (10) 730

Kromp, K.; and Pabst, Reiner F.
Application of the *J* concept to alumina at high temperatures (2) 106

Krstic, Vladimir; and Nicholson, Patrick S.
Toughening of glasses by metallic particles—reply (4) C74

Krstic, Vladimir D.
Critical grain size/preexisting flaw size relations in anisotropic brittle solids (10) 726

Kulwicki, Bernard M. See Amin, Ahmed

Kumamoto, Kenji See Kuwabara, Makoto

Kumarakrishnan, S. See Trestman-Matts, A.

Kunz, Stephanie C.
Toughening of glasses by metallic particles—comment (4) C73

Kuo, Wen-long See Yen, Tung-sheng

Kupp, D. M. See Minford, E. J.

Kurkjian, C. R. See Chen, H. S.

Kurokawa, Hiroshi See Oishi, Yasumichi

Kuwabara, Makoto; and Kumamoto, Kenji
PTCR characteristics in barium titanate ceramics with Curie points between 60° and 360°C (11) C214

La Course, William C. See Brow, Richard K.

Lackey, Walter J. See Srinton, David P.

Lamon, Jacques; and Evans, Anthony G.
Statistical analysis of bending strengths for brittle solids—a multiaxial fracture problem (3) 177

Land, J. Fred See Brynestad, Jorulf

Lange, F. F.
Liquid-phase sintering—are liquids squeezed out from between compressed particles?—reply. (2) C33; Processing-related fracture origins: I, Observations in sintered and isostatically hot-pressed Al_2O_3/ZrO_2 composites (6) 396; See also Aksay, I. A.; Green, David J.

Lange, F. F.; Davis, Burt I.; and Aksay, Ilhan A.
Processing-related fracture origins: III, Differential sintering of ZrO_2 agglomerates in Al_2O_3/ZrO_2 composite (6) 407

Lange, F. F.; Davis, Burt I.; and Graham, Henry C.
Compressive creep and oxidation resistance of an Si_3N_4 material fabricated in the system Si_3N_4-Si_2N_2O-$Y_2Si_2O_7$ (6) C98

Lange, F. F.; Davis, Burt I.; and Raleigh, Douglas O.
Transformation strengthening of β''-Al_2O_3 with tetragonal ZrO_2 (3) C50

Lange, F. F.; James, Michael R.; and Green, David J.
Determination of residual surface stresses caused by grinding in polycrystalline Al_2O_3 (2) C16

Lange, F. F.; and Metcalf, M. G.
Processing-related fracture origins: II, Agglomerate motion and cracklike internal surfaces caused by differential sintering (6) 398

Lankford, James
Plastic deformation of partially stabilized zirconia (11) C212; See also Page, Richard A.

Larchuk, T. J. See Kirchner, H. P.

Larsen, Edwin M. See Ortman, Mark S.

Lasic, Danilo D.
EPR evidence for an osmotic mechanism of cement hydration (7) C106

Lawn, Brian R.
Physics of fracture (2) 83. See also Chantikul, P.; Cook, Robert F.; Fuller, Edwin R.

Lazzaro, J. See Corelli, J. C.

Lee, C. W. See Corelli, J. C.

Lenzner, Joerg See Kaerger, Joerg

Leonard, Audra J. See Coupe, Rejane

Liaw, Been Ming See Kobayashi, Albert S.

Liaw, P. See Kingon, Angus I.

Lin, Sheng-he; Swartz, S. L.; Schulze, W. A.; and Biggers, James V.
Fabrication of grain-oriented $PbBi_2Nb_2O_9$ (12) 881

Lindemer, Terrence B. See Besmann, Theodore M.

Lipsitt, Harry A. See Miracle, Daniel B.

Lissenburg, Rokus C. D. See Van Groenou, A. Broese

Lopez, J. A. See Dean, E. A.

Louer, Daniel See Coupe, Rejane

Luca, E. See Jemna, Irina

Lucas, Jacques See Bendow, Bernard; Coupe, Rejane

Luther, L. C.; and Kometani, T. Y.
Chemical analysis of Bi-containing magnetic bubble garnet films (9) 619

Lutz, Leonard J. See Kingon, Angus I.

MacChesney, J. B. See Johnson, D. W., Jr.; Rabinovich, E. M.; Wood, D. L.

Machida, Masataka See Kimura, Toshio

Magida, Matthew B. See Smyth, Kathrine K.

Magruder, Robert H., III; Kinser, Donald L.; and Weeks, Robert A.
Effect of gamma radiation on the direct-current resistivity of GeO_2 (4) C62

Mah, Tai-Il; and Mazdiyasni, K. S.
Mechanical properties of mullite (10) 699

Maher, Caleb H.
Effect of silver doping on the physical and electrical properties of PLZT ceramics (6) 408

Majdic, Aleksander See Vasudevan, Ramaswami

Makishima, Akio; Mitomo, Mamoru; Ii, Nobuo; and Tsutsumi, Masayuki
Microhardness and transparency of an La-Si-O-N oxynitride glass (3) C55

Makishima, Akio; Tsutsumi, Masayuki; Shimohira, Takajiro; and Nagata, Tatsuya
Characterization of insoluble layers formed by NaOH attack on the surface of a ZrO_2-containing silicate glass (8) C139

Maniatis, Y.; Simopoulos, A.; Kostikas, A.; and Perdikatsis, V.
Effect of reducing atmosphere on minerals and iron oxides developed in fired clays: The role of Ca (11) 773

Marchant, David D.; and Bates, J. Lambert
Preparation and properties of iron-magnesium-aluminum spinel (6) C99

Marshall, David B.
Controlled flaws in ceramics—a comparison of Knoop and Vickers indentation (2) 127

Marshall, David B.; Evans, Anthony G.; Nisenholz, Z.
Measurement of dynamic hardness by controlled sharp-projectile impact (8) 580

Martin, Steve W.; Cooper, Emanuel I.; and Angell, C. Austen
CO_2 retention in high-alkali borate glasses (9) C153

Mason, Thomas O. See Trestman-Matts, A.

Mattox, Douglas M. See Papadopoulos, Kim

Matumoto, Hiroshi See Yamaguchi, Osamu

Matsuita, Kazunasa; Sekka, Sumio; and Shouji, Tomoshi
Thermal expansion of substituted copper aluminosilicate glasses (1) 33

Matzke, Hansjoachim; Meyritz, Volker; and Routbort, Jules L.
Fracture-surface energy and fracture toughness of (U,Pu)C and (U,Pu)(C,O) (3) 183

Mazdiyasni, K. S. See Mah, Tai-Il

Mazumdar, S.; and Mukherjee, B.
Structural characterization of the spinel phase in the kaolin-mullite reaction series through lattice energy (9) 610

McAlarney, John J. See Oh, Paul S.

McCune, Robert C.; and Wynblatt, Paul
Calcium segregation to a magnesium oxide (100) surface (2) 111

McEntire, B. J.; Bartlett, R. A.; Miller, G. R.; and Gordon, R. S.
Effect of decomposition on the densification and properties of nasicon ceramic electrolytes (10) 738; Effect of decomposition on the densification and properties of nasicon ceramic electrolytes—correction (12) 898

McHale, Anna E.; and Roth, Robert S.
Investigation of the phase transition in $ZrTiO_4$ and $ZrTiO_4$-SnO_2 solid solutions (2) C18

McKinstry, H. See Yao, Xi

McVay, Gary L. See Pederson, L. R.

McVay, Gary L.; and Buckwalter, Charles Q., Jr.
Effect of iron on waste-glass leaching (3) 170

Meek, Thomas T. See Papadopoulos, Kim

Metcalf, M. G. See Lange, F. F.

Meyritz, Volker See Matzke, Hansjoachim

Michalske, Terry A.; and Freiman, Stephen W.
Molecular mechanism for stress corrosion in vitreous silica (4) 284

Miller, Daniel J.; and Pask, Joseph A.
Liquid-phase sintering of TiC-Ni composites (12) 841

Miller, G. R. See McEntire, B. J.

Minami, Tsutomu See Tatsumisago, Masahiro

Minford, E. J.; Kupp, D. M.; and Tressler, R. E.
Static fatigue limit for sintered silicon carbide at elevated temperatures (11) 769

Minford, Eric J.; and Tressler, Richard E.
Determination of threshold stress intensity for crack growth at high temperature in silicon carbide ceramics (5) 338

Miracle, Daniel B.; and Lipsitt, Harry A.
Mechanical properties of fine-grained substoichiometric titanium carbide (8) 592

Mishra, Raja K. See Harmer, Martin P.

Mitachi, Seiko See Sakaguchi, Shigeki

Mitchiner, R. G. See Chang, W. S.

Mitomo, Mamoru See Makishima, Akio

Mitra, Shashanka S. See Bendow, Bernard

Miyachi, Kenji See Hojo, Junichi

Miyayama, Masaru; Inoue, Hiroyuki; and Yanagida, Hiroaki
Grain-boundary resistivity of stabilized zirconia films (9) C164

Miyayama, Masaru; Katsuta, Shinichi; Suenaga, Yoshihiro; and Yanagida, Hiroaki
Electrical conduction in β-Bi_2O_3 doped with Sb_2O_3 (8) 585

Miyayama, Masaru; Ogi, Shuya; and Yanagida, Hiroaki
Electrical conduction in sintered α-Sb_2O_4 (5) 351

Mizusaki, Junichiro; Sasamoto, Tadashi; Cannon, W. Roger; and Bowen, H. Kent
Electronic conductivity, Seebeck coefficient, and defect structure of $La_{1-x}Sr_xFeO_3$ ($x = 0.1, 0.25$) (4) 247

Moeckli, Pedro See Thong, Ngo

Moghadam, Farhad K.; Yamashita, Tom; Sinclair, Robert; and Stevenson, David A.
Transmission electron microscopy of annealed ZrO_2 + 8 mol% Sc_2O_3 (3) 213

Morena, R.; Nühara, K.; and Hasselman, D. P. H.
Effect of crystallites on surface damage and fracture behavior of a glass-ceramic (10) 673

Morikawa, Shinichi See Yamaguchi, Osamu

Morsi, Morsi M.; El-Konsol, Salah; and Adawi, Mohamed A.
Optical absorption and oxidation states of uranium in alkali aluminoborate glasses (3) C41

Moustaffa, F. A. See Ghoneim, N. A.

Moynihan, Cornelius T. See Bansal, Narottam P.; Bendow, Bernard

Mukherjee, B. See Mazumdar, S.

Murase, Yoshio; and Kato, Etsuro
Role of water vapor in crystallite growth and tetragonal-monoclinic phase transformation of ZrO_2 (3) 196

Nagae, T. See Kagawa, M.

Nagata, Tatsuya See Makishima, Akio

Nakahara, Motohiro See Sakaguchi, Shigeki

Nanba, M.; and Oishi, Y.
Determination of the Si diffusing unit in the system Na_2O-CaO-SiO_2 using a multiatomic ion model (10) 714

Nandi, Prasanta; and Prasad, Vemuri C. S.
Microstructure and deterioration in steatite ceramics (2) C26

Narita, Hiroshi See Tatsumisago, Masahiro

Nassau, Kurt; and Chadwick, D. L.
Multicomponent glasses of GeO_2 and Sb_2O_3 with Bi_2O_3, Tl_2O, and/or PbO (5) 332
Nath, Dilip K. See Oh, Paul S.
Neilson, George F. See Weinberg, Michael C.
Newnham, Robert E. See Kimura, Toshio
Nichols, M. C. See Shelby, James E.
Nicholson, Patrick S. See Krstic, Vladimir
Nicol, D. R. See Donaghy, F. A.
Nicolau, P. See Jemna, Irina
Niihara, K. See Morena, R.
Nikolopoulos, Panajotis; and Ondracek, Gerhard
Field-property bounds for porous sintered ceramics (4) 238
Nisenholz, Z. See Marshall, David B.
Nishida, Masamitsu See Kawashima, Shunichiro
Nishii, Kota See Hirashima, Hiroshi
Norstroem, Hans See Chatfield, Chris
Notis, Michael R. See Chen, Ching-Hwa
O'Bryan, Henry M.; and Thomson, John
$Ba_4Ti_{13}O_{30}$ phase equilibria (1) 66
Oda, Kiichi; Yoshio, Tetsuo; and Ooka, Kazuo
Formation of β-Si_3N_4 coatings by chemical vapor deposition (1) C8
Odekirk, Bruce; Balachandran, U.; Eror, Nicholas G.; and Blakemore, J. S.
Conductivity of strongly reduced and quenched ceramic La-doped $SrTiO_3$ (2) C22
Odler, Ivan; and Abdul-Maula, Sanir
Polymorphism and hydration of tricalcium silicate doped with ZnO (1) 1
Odoj, Reinhard See Solomah, Ahmad G.
Ogi, Shuya See Miyayama, Masaru
Oguma, Masaomi See Une, Katsumi
Oh, Paul S.; McAlarney, John J.; and Nath, Dilip K.
Effect of fiber drawing tension on optical and mechanical properties of optical fiber waveguides (5) C84
Oishi, Yasumichi See Ando, Ken; Nanba, M.
Oishi, Yasumichi; Ando, Ken; Kurokawa, Hiroshi; and Hiro, Yoji
Oxygen self-diffusion in MgO single crystals (4) C60
Oishi, Yasumichi; Ando, Ken; Suga, Nobuhiko; and Kingery, W. D.
Effect of surface condition on oxygen self-diffusion coefficients for single-crystal Al_2O_3 (8) C130
Okabe, Yasuzo See Hojo, Junichi
Okada, Tatsuo See Sines, George
Okada, Tatsuo; and Sines, George
Crack coalescence and microscopic crack growth in the delayed fracture of alumina (10) 719
Okamoto, Shoichi; Kawai, Akira; Kobayashi, Kenkichiro; Takata, Masasuke; Yamashita, Tsutomu; and Yamashita, Shiro
Synthesis of TiB_2 by high-dose implantation of boron ions in titanium films (5) C78
Okamoto, Taira See Suganuma, Katsuaki
Okazaki, Kiyoshi See Yamamoto, T.
Olbert, Blain H.; and Doremus, Robert H.
Infrared study of soda-lime glass during hydration and dehydration (3) 163
Ondracek, Gerhard See Nikolopoulos, Panajotis
Onoda, George Y., Jr.
Specific volume diagrams for ceramic processing (4) 297
Ooka, Kazuo See Oda, Kiichi
Oppolzer, H.; and Schmelz, Helmut
Investigation of twin lamellae in $BaTiO_3$ ceramics (6) 444
Orr, K. K. See Scott, William D.
Ortman, Mark S.; and Larsen, Edwin M.
Preparation and melting point of octalithium zirconate (8) C142; Preparation, characterization, and melting point of high-purity lithium oxide (9) 645
Osenbach, John W.; and Stubican, Vladimir S.
Grain-boundary diffusion of ^{51}Cr in MgO and Cr-doped MgO (3) 191
Oshima, Hirotoshi
Surface morphologies of magnesium vanadium oxide, $Mg_{2-x}V_{1+x}O_4$ (7) 482
Ouchi, Hiromu See Kawashima, Syunichiro
Owen, Derrek G. See Taylor, Peter
Ozyener, T.; Satyamurthy, K.; Knight, Charles Eugene; Singh, Jitendra P.; and Hasselman, D. P. H.
Effect of ΔT- and spatially varying heat transfer coefficient on thermal stress resistance of brittle ceramics measured by the quenching method (1) 53
Pabst, Reiner F. See Kromp, K.; Wieninger, Herbert
Page, Richard A.; and Lankford, James
Characterization of creep cavitation in sintered alumina by small-angle neutron scattering (8) C146
Papadopoulos, Kim; Mattox, Douglas M.; and Meek, Thomas T.
Effect of heat treatment on the Na^+ resistivity of vitreous silica (2) 120
Pascual, Carmen See Duran, Pedro
Pascual, Carmen; and Duran, Pedro
Subsolidus phase equilibria and ordering in the system ZrO_2-Y_2O_3 (1) 23
Pask, Joseph A. See Kriven, W. M.; Miller, Daniel J.
Pederson, L. R.; and McVay, G. L.
Influence of gamma irradiation on leaching of simulated nuclear waste glass: Temperature and dose rate dependence in deaerated water (12) 863
Perdikatsis, V. See Maniatis, Y.
Peretz, I.; and Bradt, R. C.
Linear thermal expansion coefficients of mullite-matrix aluminosilicate refractory bodies (12) 823
Peterson, Norman Lee See Hoshino, Kazutomo; Jain, H.
Petrovic, John J.
Effect of indenter geometry on controlled-surface-flaw fracture toughness (4) 277
Petuskey, William T. See Henrikson, Anders F.
Petzow, Guenter See Huang, Zhen-kun
Pfeifer, Harry See Kaerger, Joerg
Plichta, Mark R. See Rafaniello, William; Virkar, Anil V.
Poulain, Marcel See Bendow, Bernard
Prasad, Vemuri C. S. See Nandi, Prasanta
Prochazka, Svante; and Klug, F. J.
Infrared-transparent mullite ceramic (12) 874
Prochazka, Svante; Wallace, Jay S.; and Claussen, Nils
Microstructure of sintered mullite-zirconia composites (8) C125
Prud'homme, Christian See Seyferth, Dietmar
Quemeneur, L.; Choisnet, J; Raveau, B.; Thiebaut, J. M.; and Roussy, G.
Microwave clinkering with a grooved resonant applicator (12) 855
Qui, Ying-hui See Yen, Tung-sheng
Quinn, George D.; and Swank, Lewis
Static fatigue of preoxidized hot-pressed silicon nitride (2) C31
Rabinovich, E. M. See Johnson, D. W., Jr.; Wood, D. L.
Rabinovich, E. M.; Johnson, D. W., Jr.; MacChesney, J. B.; and Vogel, Eva M.
Preparation of high-silica glasses from colloidal gels: I, Preparation for sintering and properties of sintered glasses (10) 683
Rafaniello, William; Plichta, Mark R.; and Virkar, Anil V.
Investigation of phase stability in the system SiC-AlN (4) 272
Ragosta, John A. See Kirchner, Henry P.
Raleigh, Douglas O. See Lange, F. F.
Rankin, W. Duncan; and Wicks, George G.
Chemical durability of Savannah River Plant waste glass as a function of waste loading (6) 417
Raveau, B. See Quemeneur, L.
Reddy, K. P. R.; and Cooper, A. R.
Oxygen diffusion in MgO and α-Fe_2O_3 (9) 664
Reed, James S. See DiMilia, Robert A.
Res, Miloslav A.; Hart, S.; and White, R. W.
Heat-resistant nonsilicate porous glasslike material (3) 221
Revcolevschi, Alexandre See Fragneau, Marc
Richerson, David W.; and Wimmer, James M.
Properties of isostatically hot-pressed silicon nitride (9) C173
Richter, Herbert See Chantikul, P.
Risbud, Subhash H. See Bagaasen, Larry M.; Tredway, William K.
Ritter, John E., Jr.; Jakus, Karl; Strazdis, Lucius A.; and Rogers, Wayne P.
Effect of high-temperature exposure in air on strength of hot-pressed silicon nitride (3) C53
Robbins, Murray See Gallagher, Patrick K.
Rogers, Wayne P. See Ritter, John E., Jr.
Rosenfield, Alan R. See Shetty, Dinesh Kumar
Roth, Robert S. See McHale, Anna E.
Roussy, G. See Quemeneur, L.
Routbort, Jules L. See Matzke, Hansjoachim; Scattergood, Ronald O.
Rowan, Kurt C. See Taylor, Theodore D.
Roy, Rustum See Komarneni, Sridhar
Ruehle, Manfred See Bischoff, Ewald
Ruf, H.; and Evans, Anthony G.
Toughening by monoclinic zirconia (5) 328
Ruh, Robert See Bentsen, Larry D.
Ryerson, F. J.
Microstructure and mineral chemistry of Synroc-D (9) 629
Ryerson, Frederick J.; Bazan, F.; and Campbell, J. H.
Dissolution of a nuclear waste ceramic—an experimental and modeling study (6) 462
Sacks, Michael D.; and Khadilkar, C. S.
Milling and suspension behavior of Al_2O_3 in methanol and methyl isobutyl ketone (7) 488
Sacks, Michael D.; and Tseng, Tseung-Yuen
Role of sodium citrate in aqueous milling of aluminum oxide (4) 242
Sakaguchi, Shigeki; and Mitachi, Seiko
Strength and fatigue of fluoride glass optical fibers (9) C151
Sakaguchi, Shigeki; and Nakahara, Motohiro
Strength of proof-tested optical fibers (3) C46
Sakai, Mototsugu; Urashima, Kazuhiro; and Inagaki, Michio
Energy principle of elastic-plastic fracture and its application to the fracture mechanics of a polycrystalline graphite (12) 868
Sakai, Mototsugu; and Yamasaki, Kouzou
Numerical fracture analysis of chevron-notched specimens: I, Shear correction factor, k (5) 371; Numerical fracture analysis of chevron-notched specimens: II, Stability condition for crack growth (5) 376
Sakarcan, Metin; Hsueh, C. H.; and Evans, Anthony G.
Experimental assessment of pore breakaway during sintering (6) C86
Sakka, Sumio See Matusita, Kazumasa
Sanders, William A.; and Herbell, Thomas P.
Characteristics of Si_3N_4-SiO_2-Ce_2O_3 compositions sintered in high-pressure nitrogen (12) 835
Sasamoto, Tadashi See Mizusaki, Junichiro
Satyamurthy, K. See Ozyener, T.
Scattergood, Ronald O.; and Routbort, Jules L.
Velocity exponent in solid-particle erosion of silicon (10) C184
Scherer, George W.
Viscoelastic analysis of the split ring seal (2) 135; Viscoelastic analysis of thermal stresses in a composite sphere (1) 59; Viscoelastic analysis of thermal stresses in a composite sphere—correction (3) 232
Schmelz, Helmut See Oppolzer, H.
Schneider, Hartmut See Vasudevan, Ramaswami
Schoenlein, Larry H. See Farmer, Serene C.
Schreiber, Henry D.; Balazs, G. Bryan; and Kozak, Samuel J.
Chemistry of uranium in glass-forming melts—redox interactions of uranium with chromium and iron in aluminosilicates (5) 340
Schulze, W. A. See Lin, Sheng-he
Schwabe, Hartmut See Kaerger, Joerg
Scott, William D.
Twinning shear in alumina (9) C161
Scott, William D.; and Orr, K. K.
Rhombohedral twinning in alumina (1) 27
Scarcy, Alan W. See Beruto, Dario
Seyferth, Dietmar; Wiseman, Gary H.; and Prud'homme, Christian
Liquid silazane precursor to silicon nitride (1) C13
Shelby, James E.
Properties and structures of RO-GeO_2 glasses (6) 414; Property/morphology relations in alkali silicate glasses (11) 754; Thermal expansion of alkali borate glasses (3) 225; See also Higby, Paige L.
Shelby, James E.; and Nichols, M. C.
Effect of thermal history on the properties of a willemite glass-ceramic (3) 200
Shetty, Dinesh Kumar; Rosenfield, Alan R.; Duckworth, Winston H.; and Held, P. R.
Biaxial-flexure test for evaluating ceramic strengths (1) 36; Crack branching in ceramic disks subjected to biaxial flexure (1) C10
Shimada, Masahiko See Kaba, Takahiro; Suganuma, Katsuaki
Shimizu, Kiyoshi See Yamaguchi, Osamu
Shimohira, Takajiro See Makishima, Akio
Shouji, Tomoshi See Matusita, Kazumasa
Simopoulos, A. See Maniatis, Y.
Sinclair, Robert See Jayaram, Vikram; Moghadam, Farhad K.
Sinclair, Roger N.; Desa, J. A. Erwin; and Wright, Adrian C.
Neutron scattering studies of vitrified radioactive waste (1) 72
Sines, George See Okada, Tatsuo
Sines, George; and Okada, Tatsuo
Flaws responsible for slow cracking in the delayed fracture of alumina (3) 228; Flaws responsible for slow cracking in the delayed fracture of alumina—correction (7) 538
Singh, Jitendra P. See Ozyener, T.
Singh, Jitendra P.; Hasselman, D. P. H.; and Ziegler, Guenter
Effect of drop height on critical temperature difference (ΔT_c) for brittle ceramics subjected to thermal shock by quenching into water (10) C194
Singh, N. B.; and Abha, Km.
Effect of sodium carbonate on the hydration of tricalcium silicate (4) 308
Sircar, Anup See Buchanan, Relva C.
Skaggs, Samuel R. See Duran, Pedro
Smolej, Vitomir
Liquid-phase sintering—are liquids squeezed out from between compressed particles?—comment on (2) C33
Smyth, Kathrine K.; and Magida, Matthew B.
Dynamic fatigue of a machinable glass-ceramic (7) 500
Solomah, Ahmad G.; Odoj, Reinhard; and Frieburg, Christoph
Identification of BaO-Al_2O_3-$5TiO_2$ in the ternary system BaO-Al_2O_3-TiO_2 (10) C182
Somiya, Shigeyuki See Tani, Eiji; Toraya, Hideo
Sonder, Edward
Ionic transference numbers and electrical conduction in $MgAl_2O_4$ spinel (1) 50
Spears, Marlene A. See Amin, Ahmed
Speyer, Sabine See Frischat, Guenther H.
Stevenson, David A. See Moghadam, Farhad K.
Stiffler, Richard C.; and Hasselman, D. P. H.
Shear moduli of composites with elliptical inclusions (3) C52
Stinton, David P.; Lackey, Walter J.; and Angelini, Peter
Immobilization of radioactive cesium in pyrolytic-carbon-coated zeolite (6) 389
Strachan, Denis M.
Effect of gamma irradiation on simulated waste glass leaching and on the leach vessel (9) C158
Strazdis, Lucius A. See Ritter, John E., Jr.

Stubican, Vladimir S. See Hellmann, John R.; Osenbach, John W.
Suenaga, Yoshihiro See Miyayama, Masaru
Suga, Nobuhiko See Oishi, Yasumichi
Suganuma, Katsuaki; Okamoto, Taira; Shimada, Masahiko; and Koizumi, Mitsue
New method for solid-state bonding between ceramics and metals (7) C117
Sugimoto, Iwane See Takahashi, Hiroshi
Swain, Michael V.; and Claussen, Nils
Comparison of K_{IC} values for Al_2O_3-ZrO_2 composites obtained from notched-beam and indentation strength techniques (2) C27
Swain, Michael V.; Garvie, Ronald C.; and Hannink, Richard H. J.
Influence of thermal decomposition on the mechanical properties of magnesia-stabilized cubic zirconia (5) 358
Swank, Lewis R. See Quinn, George D.; Williams, Robert M.
Swartz, S. L. See Lin, Sheng-he
Syono, Y. See Kagawa, M.
Takahashi, Hiroshi; and Sugimoto, Iwane
Preparation of germanate glass by vapor-phase axial deposition (4) C66
Takamori, Takeshi; Dove, Derek B.; and Huffine, Coy L.
Phase transitions and thermoluminescence of a plasma-sprayed zinc silicate phosphor (8) C127
Takata, Masasuke See Okamoto, Shoichi
Takenouchi, Satoshi See Watanabe, Akiteru
Tanaka, Masami See Tatsumisago, Masahiro
Tanasoiu, C. See Jemna, Irina
Tang, T. B.; and Chaudhri, M. M.
Kinetics of crystallization of ZrF_4-BaF_2-LaF_3 glass by differential scanning calorimetry—comment on (11) C218
Tani, Eiji; Yoshimura, Masahiro; and Somiya, Shigeyuki
Formation of ultrafine tetragonal ZrO_2 powder under hydrothermal conditions (1) 11; Formation of ultrafine tetragonal ZrO_2 powder under hydrothermal conditions—correction (5) 388; Revised phase diagram of the system ZrO_2-CeO_2 below 1400°C (7) 506
Tatsumisago, Masahiro; Hamada, Akira; Minami, Tsutomu; and Tanaka, Masami
Infrared spectra of rapidly quenched glasses in the systems Li_2O-RO-Nb_2O_5 (R = Ba, Ca, Mg) (2) 117; Structure and properties of rapidly quenched Li_2O-Al_2O_3-Nb_2O_5 glasses (12) 890
Tatsumisago, Masahiro; Narita, Hiroshi; Minami, Tsutomu; and Tanaka, Masami
Preparation of rapidly quenched glasses in pseudobinary systems composed of lithium ortho-oxosalts (11) C210
Taylor, Peter; Campbell, Allan B.; and Owen, Derrek G.
Liquid immiscibility in the systems X_2O-MO-B_2O_3-SiO_2 (X = Na, K; M = Mg, Ca, Ba) and Na_2O-MgO-BaO-B_2O_3-SiO_2 (5) 347
Taylor, Theodore D.; and Rowan, Kurt C.
Melting reactions of soda-lime-silicate glasses containing sodium sulfate (12) C227
Thiebaut, J. M. See Quemeneur, L.
Thomas, Gareth See Ahn, Channing C.; Harmer, Martin P.
Thomson, John See O'Bryan, Henry M.
Thong, Ngo; Carry, Claude; and Moeckli, Pedro
Identification of α-Al_2O_3 precipitates in rutile single crystals (12) C225
Tick, Paul A.
Durability and properties in alkali aluminofluorophosphate glasses (10) 716
Tighe, N. J. See Wiederhorn, S. M.
Tillmanns, Ekkehart; Hofmeister, Wolfgang; and Baur, Werner H.
Crystal structure of the microwave dielectric resonator $Ba_2Ti_9O_{20}$ (4) 268
Tiracorda, J. A. See Kirchner, H. P.
Tomozawa, Minoru; and Capella, Steven
Microstructure in hydrated silicate glasses (2) C24
Toraya, Hideo; Yoshimura, Masahiro; and Somiya, Shigeyuki
Hydrothermal oxidation of Hf metal chips in the preparation of monoclinic HfO_2 powders (2) 148; Reaction kinetics in the hydrothermal oxidation of Hf (11) 818
Tran, Van Bao See Brown, Sherman D.
Tredway, William K.; and Risbud, Subhash H.
Melt processing and properties of barium-sialon glasses (5) 324
Tressler, Richard E. See Minford, Eric J.
Trestman-Matts, A.; Dorris, S. E.; Kumarakrishnan, S.; and Mason, T. O.
Thermoelectric determination of cation distributions in Fe_3O_4-Fe_2TiO_4 (12) 829
Trestman-Matts, A.; Dorris, S. E.; and Mason, Thomas O.
Measurement and interpretation of thermopower in oxides (8) 589
Trivikrama Rao, G. S. See Arora, S. K.
Tseng, Tseung-Yuen See Sacks, Michael D.
Tsutsumi, Masayuki See Makishima, Akio; Watanabe, Akiteru
Uchida, Kenji See Watanabe, Akiteru
Ueda, Ichiro See Kawashima, Shunichiro
Uhlmann, Donald R.
Glass formation, a contemporary view (2) 95
Une, Katsumi; and Oguma, Masaomi
Oxygen potential of $U_{0.85}Zr_{0.15}O_{2+x}$ solid solutions at 1500°C (10) C179
Urashima, Kazuhiro See Sakai, Mototsugu
Van Groenou, A. Broese; and Lissenburg, Rokus C. D.
Inhomogeneous density in die compaction: Experiments and finite-element calculations (9) C156
Van Groenou, A. Broese; and Van Oers, Denis J. C.
Sphere-on-tape method of rapid selected-area thinning of samples for transmission electron microscopy (12) C223
Van Oers, Denis J. C. See Van Groenou, A. Broese
Van Uitert, L. G.
Relations between normal boiling point and melting point for simple halides and oxides (5) 380
Varela, Jose Arana; and Whittemore, O. J.
Structural rearrangement during the sintering of MgO (1) 77
Vasudevan, Ramaswami; Schneider, Hartmut; and Majdic, Aleksander
X-ray diffraction studies of thermally shocked periclase (4) C68
Venkateswaran, Anuradha See Hasselman, D. P. H.
Virkar, Anil V.
Application of electrical analog in composite plates (5) C87; See also Rafaniello, William; Viswanathan, L.
Virkar, Anil V.; and Plichta, Mark R.
Spinodal decomposition in ionic compounds (6) 451
Viswanathan, Lakshminarayan; and Virkar, Anil V.
Crack-propagation rates in β''-alumina (3) 159
Vogel, Eva M. See Gallagher, Patrick K.; Johnson, D. W., Jr.; Prochazka, Svante ; Rabinovich, E. M.; Wood, D. L.;
Wallace, Jay S. See Prochazka, Svante
Walters, Helen V.
Corrosion of a borosilicate glass by orthophosphoric acid (8) 572
Watanabe, Akiteru; Kikuchi, Takeshi; Tsutsumi, Masayuki; Takenouchi, Satoshi; and Uchida, Kenji
Solid solubility of GeO_2 in SnO_2 (7) C104
Weeks, Robert A. See Magruder, Robert H., III
Wegener, Wolfgang See Frischat, Guenther H.
Wei, George Chia-Tsing
Beta SiC powders produced by carbothermic reduction of silica in a high-temperature rotary furnace (7) C111
Weinberg, Michael C.
Efficiency improvement in thermophoretic deposition (2) C30; Thermophoretic deposition of particles in laminar flow in a concentric annulus (6) 439
Weinberg, Michael C.; and Neilson, George F.
Elevation of liquidus temperature in a gel-derived Na_2O-SiO_2 glass (2) 132
Westerlund, Tapio; Hatakka, Leena; and Karlsson, Kaj H.
Model for optimizing glass batch compositions (8) 574
White, R. W. See Res, Miloslav A.
White, William B. See Chess, Daniel L.; Khalil, M. Yasser
Whittemore, O. J. See Varela, Jose Arana
Wicks, George G. See Rankin, W. Duncan
Wiederhorn, S. M.; and Tighe, N. J.
Structural reliability of yttria-doped hot-pressed silicon nitride at elevated temperatures (12) 884
Wieninger, Herbert; and Pabst, Reiner Friedrich
Crack resistance behavior of ceramic materials (10) C181
Williams, David B. See Chen, Ching-Hwa
Williams, Robert M.; and Swank, Lewis R.
Use of Weibull statistics to correlate MOR, ball-on-ring, and rotational fast fracture tests (11) 765
Wimmer, James M. See Richardson, David W.
Wirtz, Gerald P. See Brown, Sherman D.
Wiseman, Gary H. See Seyferth, Dietmar
Wojnarovits, Ilona
Behavior of glass fibers in strong acidic and alkaline media (12) 896
Wolf, Friedrich See Kaerger, Joerg
Wood, D. L.; Rabinovich, E. M.; Johnson, D. W., Jr.; MacChesney, J. B.; and Vogel, Eva M.
Preparation of high-silica glasses from colloidal gels: III, Infrared spectrophotometric studies (10) 963
Wright, Adrian C. See Sinclair, Roger N.
Wu, Zhao-qi; Hriljac, Joe; Hwang, Chao-lung; and Young, J. Francis
Orthosilicate analyses—a measure of hydration in pastes of alite and portland cement (5) C86
Wun-Fogle, M. See Frueholz, R. P.
Wynblatt, Paul See McCune, Robert C.
Wysocki, J. A.
Static fatigue of silica in hermetic environments (3) C38
Yamaguchi, Osamu; Matumoto, Hiroshi; Morikawa, Shinichi; and Shimizu, Kiyoshi
Preparation and thermal behavior of magnesium-germanium hydroxide (9) C169
Yamaguchi, Takashi See Kimura, Toshio
Yamaguchi, Takashi; and Kosha, Hideaki
Behavior of pores in the sintering of acicular Fe_2O_3 powder (3) 210
Yamamoto, T.; Igarashi, Hideji; and Okazaki, Kiyoshi
Dielectric, electromechanical, optical, and mechanical properties of lanthanum-modified lead titanate ceramics (5) 363
Yamasaki, Kouzou See Sakai, Mototsugu
Yamashita, Shiro See Okamoto, Shoichi
Yamashita, Tom See Moghadam, Farhad K.
Yamashita, Tsutomu See Okamoto, Shoichi
Yamayoshi, Keiko See Koumoto, Kunihito
Yanagida, Hiroaki See Koumoto, Kunihito; Miyayama, Masaru
Yao, Xi; McKinstry, H.; and Cross, L. E.
Influence of piezoelectric grain resonance on the dielectric spectra of $LiNbO_3$ ceramics (9) 637
Yau, Yu-Chyi; and Hughes, John M.
Crystal chemistry and phase relations in the system Li_2O-Fe_2O_3-TiO_2 (7) 479
Yen, Tung-sheng; Kuo, Chu-kun; Han, Wen-long; Qui, Ying-hui; and Huang, Yu-zhen
Phase equilibria in the systems rare-earth sesquioxide-beryllium oxide (12) 860
Yoshida, Tetsuro See Hirashima, Hiroshi
Yoshimura, Masahiro See Tani, Eiji; Toraya, Hideo
Yoshio, Tetsuo See Oda, Kiichi
Young, J. Francis See Wu, Zhao-qi
Zahran, A. H. See Ghoneim, N. A.
Zanotto, Edgar Dutra
Positron annihilation in phase-separated BaO-SiO_2 glasses (3) C37
Zawidzki, T. W. See Burk, R. C.
Zdaniewski, Wieslaw A.; Easler, Timothy E.; and Bradt, R. C.
Gamma radiation effects on the strength of a borosilicate glass (5) 311
Zdanov, Sergej Petrovic See Kaerger, Joerg
Zhang, X. L. See Chen, Z. X.
Ziegler, Guenter See Ozyener, T.; Singh, Jitendra P.

SUBJECT INDEX TO THE JOURNAL AND COMMUNICATIONS

Numbers in parentheses refer to *monthly* issue of *the Journal* and *Communications*; numbers following are *page* numbers.

Absorption,
optical, of Ni^{2+} in mixed-alkali borate glasses (6) 434
of U in alkali aluminoborate glasses (3) C41
Acids,
orthophosphoric, corrosion of borosilicate glass by (8) 572
strong, behavior of glass fibers in (12) 896
Additives,
Li carbonate/Na sulfate eutectic, for improving glass production (9) 660
Alkalis,
impurity, diffusion in Na-Cs silicate glasses (3) 174
Aluminum,
AlN, powder, synthesis and characterization (3) 217
content of glasses, BaF_2/ThF_4-containing, effect on ir characteristics (4) C64
Aluminum oxide,
and MgO, effect of particle size on kinetics of reaction between (5) 383
Na beta-, fracture toughness anisotropy (11) C204
-ZrO_2, composites, comparison of K_{Ic} values from notched-beam and indentation strength tests (2) C27
-ZrO_2 composites, uniformity by colloidal filtration (10) C190
-ZrO_2(Y_2O_3), transformation-toughened, slow crack growth behavior (7) 485
alpha-, oxidation-reduction and ionic disorder (10) 730
alpha-, precipitates in rutile single crystals, identification of (12) C225
beta″-, crack-propagation rates in (3) 159
with tetragonal ZrO_2, transformation strengthening (3) C50
failure of, delayed, flaws responsible for slow cracking—correction (7) 538
fracture of, delayed, crack coalescence and growth (10) 719
delayed, flaws responsible for slow cracking (3) 228
/glass composites, properties of (12) C229
grain growth in, effect of MgO solute on kinetics (5) C90
growth of β-Al_2O_3 on (9) C154
at high temps., application of J concept to (2) 106
in ketone, methanol and methyl isobutyl, milling and suspension behavior (7) 488
milling of, aqueous, role of Na citrate (4) 242
polycrystalline, diffusional creep, effect of simultaneous doping with Fe and Ti (2) 139
residual surface stress caused by grinding, determination of (2) C16
powder, aggregated, compaction of (9) 655
stress transmission during compaction (9) 667
shear in, twinning (9) C161
single-crystal, effect of surface condition on O_2 self-diffusion (8) C130
sintered, creep cavitation in characterization by neutron scattering (8) C146
twinning in, rhombohedral (1) 27
Analysis,
NMR, of adsorbate self-diffusion in porous glasses (1) 69
Raman, of SiC nuclear fuel coatings (6) 424
TEM, of annealed ZrO_2 + 8 mol% Sc_2O_3 (3) 213
X-ray scattering, of glasses in system ZrF_4-BaF_2 (7) 523
XRD, of thermally shocked periclase (4) C68
autocorrelation, of piezoelectric coupling of PLZT in high electric fields (9) C166
chemical, of Bi-containing magnetic bubble garnet films (9) 619
finite difference numerical, of reaction models for Cs penetration into glass (9) 605
fracture, numerical, of chevron-notched specimens (5) 371; (5) 376
ir, of Na_2O-CaO glass during hydration and dehydration (3) 163
microstructural, of antireflective films (1) C6
orthosilicate, as measure of hydration (5) C86
statistical, of bending strengths for brittle solids (3) 177
of thermal shock damage in borosilicate glass (8) 542
structural, of spinel phase in kaolin-mullite reaction series (9) 610
thermal stress failure, of segmented thick-walled refractories (10) 708
viscoelastic, of split ring seal (2) 135
of thermal stresses in composite spheres—correction (3) 232
of thermal stresses in glass composite sphere (1) 59
Anatase,
reaction, with Ba carbonate (10) 733
Anisotropy,
fracture toughness, of Na beta-Al_2O_3 (11) C204
Antimony,
alpha-Sb_2O_4, sintered, electrical conduction (5) 351
Atmosphere,
control of, in sintering PZT (4) 253
reducing, effect on minerals and Fe oxides developed in fired clays (11) 773

Barium,
$Ba_4Ti_{13}O_{30}$, microwave dielectric resonator, crystal structure (4) 268
phase equilibria (1) 66
$Ba(Zn_{1/3}Ta_{2/3})O_3$, with low dielectric loss (6) 421
carbonate, reaction of anatase and rutile with (10) 733
Barium, titanate,
lamellae in, twin, study of (6) 444
perovskite, sintered with LiF (11) 801
semiconducting, porous, PTCR characteristics (11) C214
Batch,
glass, model for optimizing (8) 574
Bismuth,
-containing films, magnetic bubble garnet, chemical analysis (9) 619
$Bi_4Ti_3O_{12}$, powders, preparation in presence of molten salt containing LiCl 8) 597
beta-Bi_2O_3, doped with Sb_2O_3, electrical conduction in (8) 585
Bonding,
reaction, of Si_3N_4 (8) C135
solid-state, between ceramics and metals (7) C117
Boron,
B_2O_3, glass, sub-sub T_g enthalpy relaxation in (9) 613
effect on interdiffusion, in SiC during conversion of Si fibers to SiC (8) C141
Brittle materials,
solids, critical grain size; preexisting flaw size relations (10) 726
strength, bending, statistical analysis of (3) 177
strengthening of, compressive surface, by residual stress distribution (11) 807
thermal shock resistance, effect of ΔT- and spatially varying heat transfer coeff. on (1) 53
thermally shocked, effect of drop height on critical temp. difference (10) C194

Calcite,
decomposition, in vacuum, rearrangement of porous CaO aggregates (12) 893
Calcium,
$Ca(WO_4)_x(MoO_4)_{1-x}$, flux-grown crystals, characterization of (5) 321
CaO, aggregates, rearrangement during calcite decomposition in vacuum (12) 893
segregation, to MgO surface (2) 111
Carbon,
CO_2, retention in high-alkali borate glasses (9) C153
Cement industry,
clinkering, microwave, with grooved resonant applicator (12) 855
Cements,
C_3S, doped with ZnO, polymorphism and hydration (1) 1
effect of Na_2CO_3 on hydration (4) 308
Ca silicate hydrate, thermochemical data, estimation of (12) C220
clinkering, microwave, with grooved resonant applicator (12) 855
hydration, EPR evidence for osmotic mechanism (7) C106
pastes, effect of microsilica (silica fume) on pore-solution chemistry (5) C82
Ceramic materials,
crack resistance behavior (10) C181
Ceramics,
and metals, solid-state bonding between (7) C117
saturated, effect of surface saturation on transfer of water in (5) C89
sintered, porous, field-property bounds (4) 238
strength, biaxial-flexure test for (1) 36
ternary sulfide, processing (1) 18
Cesium,
penetration, into glass, phase-boundary reaction model for (9) 605
radioactive, immobilization in pyrolytic-C-coated zeolite (6) 389

Chemical properties,
durability, of alkali aluminofluorophosphate glasses (10) 716
of glass containing Savannah River Plant nuclear wastes (6) 417
of glasses containing ZrO_2 in NaOH solution (8) C139
Chemistry,
cement, thermochemical data for Ca silicate hydrate (12) C220
crystal, in system Li_2O-Fe_2O_3-TiO_2 (7) 479
pore-solution, of cement pastes, effect of silica fume on (5) C82
Chromium,
^{51}Cr, in MgO and Cr-doped MgO, grain-boundary diffusion (3) 191
Cr_2O_3, cation self-diffusion in (11) C202
Clays,
fired, effect of reducing atm on minerals and Fe oxides (11) 773
Coatings,
SiC, for nuclear materials, Raman spectral analysis (6) 424
beta-Si_3N_4, CVD (1) C8
Cobalt,
$Co_{1-x}Mg_xO$, electrical conduction (1) 42
layers, in WC-Co composite, detection by lattice imaging (8) C137
Colloids,
preparation of glasses from, high-SiO_2 (10) 683; (10) 688; (10) 963
silicate, formation of oxynitride glasses from (11) 758
Compaction,
die, inhomogeneous density in (9) C156
of powders, Al_2O_3, stress transmission during (9) 667
aggregated Al_2O_3 (9) 655
Compacts,
TiC-Ni, liquid-phase sintering of (12) 841
Composites,
Al_2O_3, comparison of K_{Ic} values from notched-beam and indentation strength tests (2) C27
Al_2O_3-ZrO_2, uniformity by colloidal filtration (10) C190
SiC/AlN, effect of hot-pressing temp. on thermal diffusivity/conductivity (3) C40
TiC-Ni, liquid-phase sintering of (12) 841
WC-Co, detection of Co layers by lattice imaging (8) C137
β-Si_3N_4-TiN composites, CVD, electron microscopy of) 539
glass/Al_2O_3, properties of (12) C229
with inclusions, elliptical, shear moduli (3) C52
mullite-ZrO_2, sintered, microstructure (8) C125
particulate, brittle, fracture toughness predictions for crack bowing (1) C4
plates, application of electrical analog to (5) C87
sphere, viscoelastic analysis of thermal stresses in—correction (3) 232
Compounds,
ionic, spinodal decomposition in (6) 451
Compression,
surface, in ZrO_2 ceramics, method for introducing (10) C178
Conductivity, electrical,
in $Co_{1-x}Mg_xO$ (1) 42
of $SrTiO_3$, strongly reduced and quenched La-doped (2) C22
in alpha-Sb_2O_4, sintered (5) 351
in beta-Bi_2O_3, doped with Sb_2O_3 (8) 585
of glasses, TiO_2-V_2O_5-P_2O_5 (10) 704
of spinels, Fe-Mg-Al (6) C99
$MgAl_2O_4$ (1) 50
Conductivity, electronic,
of $La_{1-x}Sr_xFeO_3$ (x = 0.1, 0.25) (4) 247
Conductivity, thermal,
of glasses, silicate and borate (5) C76
Corrosion,
of glasses, borosilicate, by orthophosphoric acid (8) 572
stress, in vitreous SiO_2, molecular mechanism for (4) 284
Coupling,
piezoelectric, of PLZT in high electric fields, autocorrelation analysis (9) C166
Cracks,
bowing, in brittle particulate composites, fracture toughness predictions for (1) C4
branching of, in ceramic disks subjected to biaxial flexure (1) C10
brittle, originating from residual stress concentrations, theory of fatigue for (5) 314
cavities in the form of, effect on creep (3) C36

coalescence and growth, role in delayed fracture of Al_2O_3 (10) 719
critical grain size/preexisting flaw size relations, in brittle solids (10) 726
-deflection toughening, in SiC (6) C94
growth, in SiC, determination of stress intensity (5) 338
multiregion, relation to dynamic fatigue of glass (7) 515
in thermally shocked borosilicate glass (8) 542
origins, processing-related (6) 396; (6) 398; (6) 407
-propagation rates, in β''-Al_2O_3 (3) 159
radial, in hot-pressed ZnS, load: length relation for spherical indentations (4) 293
resistance behavior, of ceramic materials (10) C181
slow, in delayed fracture of Al_2O_3, flaws responsible for—correction (7) 538
flaws responsible for, in delayed fracture of Al_2O_3 (3) 228
slow growth behavior, in transformation-toughened Al_2O_3-$ZrO_2(Y_2O_3)$ (7) 485

Creep,
cavitation, in sintered Al_2O_3, characterized by neutron scattering (8) C146
compressive, of Si_3N_4 fabricated in system Si_3N_4-Si_3N_4O-$Y_2Si_2O_7$ (6) C98
diffusional, of Al_2O_3, effect of simultaneous doping with Fe and Ti (2) 139
effect of cavities on (3) C36

Crystallites,
$PbBi_2Nb_2O_9$, grain-oriented, fabrication of (12) 881
in glass-ceramics, effect on surface damage and fracture (10) 673

Crystallization,
of glasses, ArF_4-BaF_2-LaF_3 glass, by differential scanning calorimetry (4) 233
ZrF_4-BaF_2-LaF_3, kinetics—comment (11) C218
ZrF_4-BaF_2-LaF_3, kinetics—reply to comment (11) C218
surface, of fluoride glass (8) C132

Crystallography,
of eutectics, directionally solidified NiO-CaO (9) C162

Crystals,
$BaTiO_3$, study of twin lamellae in (6) 444
$Ca(WO_4)_x(MoO_4)_{1-x}$, flux-grown, characterization of (5) 321
MgO, O_2 self-diffusion in (4) C60
$SrTiO_3$, strongly reduced and quenched La-doped, conductivity of (2) C22
Y_2O_3, O self-diffusion in (12) C222
ZrO_2, role of water vapor in growth and phase transformation (3) 196
rutile, identification of alpha-Al_2O_3 precipitates (12) C225
twinning, rhombohedral, in Al_2O_3 (1) 27

Decomposition,
of calcite, in vacuum, rearrangement of porous CaO aggregates during (12) 893
effect of, on densification and properties of Nasicon electrolytes (10) 738
on densification and properties of Nasicon electrolytes— correction (12) 898
evaporative, precursor powders for sulfides prepared (11) C205
spinodal, in K_2O-Al_2O_3-CaO-SiO_2 glass (9) C171
in ionic compounds (6) 451
thermal, effect on mechanical properties of MgO-stabilized ZrO_2 (5) 358

Deformation,
plastic, of partially stabilized ZrO_2 (11) C212

Densification,
of PZT, during sintering, effect of PbO content (4) 256
of electrolytes, Nasicon, effect of decomposition on (10) 738
Nasicon, effect of decomposition on—correction (12) 898
of refractories, CaO-stabilized ZrO_2 with borates (2) C20

Density,
inhomogeneous, in die compaction (9) C156

Deposition,
CVD, of beta-Si_3N_4, coatings (1) C8
thermophoretic, efficiency improvements in (2) C30
of particles in laminar flow in concentric annulus (6) 439
vapor-phase axial, preparation of germanate glass by (4) C66

Devitrification,
of SiO_2, effect of trace impurities (10) C188

Diagrams,
phase, of system ZrO_2-CeO_2, revised (7) 506
volume, specific, for ceramic processing (4) 297

Dielectric materials,
$Ba_2Ti_9O_{20}$, microwave resonator, crystal structure (4) 268
$Ba(Zn_{1/3}Ta_{2/3})O_3$, with low loss at microwave frequencies (6) 421

Dielectric properties,
of $KTaO_3$ (7) 511
of Pb titanate, La-modified (5) 363
spectra, of $LiNbO_3$, effect of piezoelectric grain resonance (9) 637

Dies,
compaction, inhomogeneous density in (9) C156

Diffusion,
adsorbate self-, in porous glasses, NMR study (1) 69
data, and activation energies, comparison of (6) 392
comparison with activation energies—comment (11) C216
comparison with activation energies—reply to comment (11) C217
enhanced, in deformed single-crystal MgO (8) C144
grain-boundary, of ^{54}Cr in MgO and Cr-doped MgO (3) 191
impurity alkali, in Na-Cs silicate glasses (3) 174
oxygen, in MgO and alpha-Fe_2O_3 (9) 664
self-, of ^{54}Cr in Cr_2O_3 (11) C202
of O in single-crystal Y_2O_3 (12) C222
of O_2 in MgO crystals (4) C60
of O_2 in single-crystal Al_2O_3, effect of surface condition (8) C130

Dopants,
Fe and Ti, effect on diffusional creep of Al_2O_3 (2) 139

Elastic materials,
contacting bodies, effect of tangential force on fracture (1) 4

Elasticity,
of ZrO_2 and HfO_2, stabilized with Pr_6O_{11} or Tb_4O_7 (3) C47
moduli, for ceramic materials, dependence on porosity (5) 366
of porous materials, sintered (12) 847
recovery, at static loading and impact indentations in MgF_2 (11) 786

Electrical properties,
of PLZT, effect of Ag doping (6) 408
conduction, in $Co_{1-x}Mg_xO$ (1) 42
in beta-Bi_2O_3 doped with Sb_2O_3 (8) 585

Electrolytes,
Nasicon, effect of decomposition on densification and properties (10) 738
effect of decomposition on densification and properties—correction (12) 898

Electronics,
thermopower, in oxides, measurement and interpretation (8) 589

Energy,
activation, comparison with diffusion data—comment (11) C216
comparison with diffusion data—reply to comment (11) C217
and diffusion data, comparison of (6) 392
concept J, application of Al_2O_3 at high temps. (2) 106
fracture-surface, of (U,Pu)C and (U,Pu)(C,O) (3) 183

Enthalpy,
relaxation, sub-sub-T_g, in B_2O_3 glass (9) 613

Equilibrium,
oxidation, of Fe in borosilicate glass (3) 205

Erosion,
solid-particle, of Si, velocity exponent (10) C184

Etching,
plasma, of sialon (9) C168

Eutectics,
Li carbonate/Na sulfate, additive for glass (9) 660
NiO-CaO, directionally solidified, crystallography (9) C162

Expansion,
thermal, of alkali borate glasses (3) 225
of mullite-matrix aluminosilicate refractories (12) 823
of substituted Cu aluminosilicate glasses (1) 33

Fatigue,
for brittle flaws, originating from residual stress concentrations (5) 314
dynamic, of glass, relation of multiregion crack growth to (7) 515
of machinable glass-ceramic (7) 500
of fibers, fluoride glass (9) C151
in optical fibers, with surface particle damage, evaluation of constant n (8) 601
static, of SiO_2 in hermetic environment (3) C38
limit for SiC at high temps. (11) 769
of preoxidized hot-pressed Si_3N_4 (2) C31

Ferrites,
Mn-Zn, with low temp. coeff. of permeability, preparation of (7) C110
(Ni,Zn,Co)Fe_2O_4, annealed, electron microscopy of (3) C44

Ferroelectric materials,
$PbBi_2Nb_2O_9$, grain-oriented, fabrication of (12) 881

Fibers,
Si, effect of B on interdiffusion in SiC during conversion to SiC (8) C141
glass, behavior in strong acidic and alkaline media (12) 896
optical, fluoride glass, strength and fatigue of (9) C151
proof-tested, strength of (3) C46
with surface particle damage, evaluation of fatigue constant n (8) 601

Fibrous materials,
SiO_2, fracture toughness/Young's modulus correlation (4) 288
transversely isotropic, double-cantilever-beam testing of (1) 46

Films,
Ti, synthesis of TiB_2 by implantation of B ions in (5) C78
ZrO_2, stabilized, grain-boundary resistivity (9) C164
antireflective, microstructural characterization of (1) C6
porous borosilicate glass, development of (4) 302
garnet, magnetic bubble, Bi-containing, chemical analysis (9) 619

Filtration,
colloidal, uniformity of Al_2O_3-ZrO_2 composites by (10) C190

Fluorides,
glass, surface crystallization of (8) C132

Fluorine,
treatments, of soda-lime silicate glass surfaces (8) C123

Formation,
of glass, temporary view (2) 95
of glasses, oxynitride, from gels (11) 758
hydrothermal, of ultrafine tetragonal ZrO_2 powder (1) 11
of ultrafine tetragonal ZrO_2 powder—correction (5) 388
of solid solutions, PZT, reaction sequence (11) 790

Fracture,
analysis, numerical, of chevron-notched specimens (5) 371; (5) 376
behavior, of space shuttle thermal protection system (9) 641
brittle, statistical analysis of (3) 177
delayed, of Al_2O_3, flaws responsible for slow cracking in (3) 228
of Al_2O_3, role of crack coalescence and growth (10) 719
of elastic bodies, contacting, effect of tangential force (1) 4
elastic-plastic, energy principle, application to fracture mechanics of polycrystalline graphite (12) 868
origins, processing-related (6) 396; (6) 398; (6) 407
physics of (2) 83
tests, MOR, ball-on-ring, and rotational, Weibull statistics for correlating (11) 765
toughness, of (U,Pu)C and (U,Pu)(C,O) (3) 183
controlled-surface-flaw, effect of indenter geometry on (4) 277
of glass-ceramics, effect of crystallites (10) 673
predictions for crack bowing in brittle particulate composites (1) C4
of reaction-bonded Si_3N_4 (2) 151
toughness anisotropy, of Na beta-Al_2O_3 (11) C204
toughness/Young's modulus correlation, for fibrous SiO_2 bodies (4) 288

Fuels,
nuclear, irradiated UO_2, effect of grain size on fission gas release (9) C150

Furnaces,
glassmelting, criteria for physical modeling of (7) 519

Garnets,
films, magnetic bubble, Bi-containing, chemical analysis (9) 619

Germanates,
glass, preparation by vapor-phase axial deposition (4) C66

Germanium,
GeO_2, solid solubility in SnO_2 (7) C104

Glass industry,
furnaces, electric, physical modeling of (7) 519

Glass-ceramics,
disks, subjected to flexure, crack branching in (1) C10
machinable, dynamic fatigue of (7) 500
surface damage and fracture behavior, effect of crystallites on (10) 673
willemite, effect of thermal history on properties (3) 200

Glass,
/Al_2O_3 composites, properties of (12) C229
B_2O_3, sub-sub T_g enthalpy relaxation in (9) 613
Ba-sialon, melt processing and properties (5) 324
BaF_2/ThF_4-containing, effect of Al content on ir characteristics (4) C64
BaO-SiO_2, phase-separated, positron annihilation in (3) C37
Cs penetration into, phase-boundary reaction models for (9) 605
Cu aluminosilicate, substituted, thermal expansion of (1) 33
GeO_2, dc resistivity, effect of γ radiation (4) C62
K borogermanate, with high B_2O_3 content, Raman spectra (4) C71
K_2O-Al_2O_3-CaO-SiO_2, spinodal decomposition in (9) C171
La-Si-O-N oxynitride, microhardness and transparency (3) C55
Li_2O-Al_2O_3-Nb_2O_5, rapidly quenched, structure and properties (12) 890
Na Cs silicate, impurity alkali diffusion in (3) 174
Na_2O-CaO, ir study during hydration and dehydration (3) 163
Na_2O-SiO_2, gel-derived, elevation of liquidus temp. (2) 132
Pb borate, containing Mn, γ-ray interaction with (6) 447
Pb silicate, containing Mn, γ-ray interaction with (6) 447
RO-GeO_2, properties and structure (6) 414
Synroc-D, for nuclear wastes, dissolution of (6) 462
TiO_2-V_2O_5-P_2O_5, electrical conductivity (10) 704
ZrF_4-BaF_2-LaF_3, crystallization kinetics, by differential scanning calorimetry (4) 233
kinetics of crystallization, by scanning calorimetry—comment (11) C218
kinetics of crystallization, by scanning calorimetry—reply to comment (11) C218
additive for, Li carbonate/Na sulfate eutectic (9) 660
alkali aluminoborate, U in, optical absorption and oxidation states (3) C41
alkali aluminofluorophosphate, durability and properties (10) 716
alkali borate, thermal expansion of (3) 225
alkali-resistant, containing ZrO_2, durability in NaOH solution (8) C139

alkali silicate, property/morphology relations (11) 754
batch, model for optimizing (8) 574
borosilicate, corrosion by orthophosphoric acid (8) 572
gamma radiaton effects on strength (5) 311
oxidation equilibrium of Fe in (3) 205
porous antireflective films, development of (4) 302
thermal shock damage, statistical study of (8) 542
disks, subjected to flexure, crack branching in (1) C10
fatigue of, dynamic, relation of crack growth to, using indentation flaws (7) 515
fibers, behavior in strong acidic and alkaline media (12) 896
fluoride, surface crystallization of (8) C132
formation, contemporary view (2) 95
germanate, preparation by vapor-phase axial deposition (4) C66
high-SiO_2, preparation from gels (10) 683; (10) 688; (10) 963
high-alkali borate, CO_2 retention in (9) C153
hydrated silicate, microstructure in (2) C24
-like material, heat-resistant nonsilicate porous (3) 221
-melts, aluminate, Si-free oxynitride glasses via nitridation of (4) C69
diffusion-controlled redox kinetics in (3) 188
mixed-alkali borate, optical absorption of Ni^{2+} in (6) 434
multicomponent, of GeO_2 and Sb_2O_3 with Bi_2O_3, Tl_2O, and/or PbO (5) 332
nuclear waste, effect of gamma irradiation on leaching (9) C158
simulated, effect of gamma irradiation on leaching (12) 863
oxynitride, Si-free, via nitridation of aluminate glassmelts (4) C69
formation from gels (11) 758
porous, NMR study of adsorbate self-diffusion in (1) 69
quenched, in pseudobinary systems composed of Li orthooxosalts, preparation (11) C210
silicate, ZrO_2-containing, characterization of insoluble layers formed by NaOH attack (8) C139
silicate and borate, thermal conductivity of (5) C76
soda-lime silicate, surfaces, F treatments (8) C123
soda-lime-silica, containing Ce^{3+} and As^{3+}, photochemical reaction in (10) C192
soda-lime-silicate, containing Na sulfate, melting reactions (12) C227
systems, AgI-Ag_2O-B_2O_3, properties (8) C122
GeO_2-SnO_2, solid solubility of GeO_2 (7) C104
Li_2O-RO-Nb_2O_5 (R = Ba,Ca,Mg), rapidly quenched, ir spectra (2) 117
ZrF_4-BaF_2, X-ray scattering study (7) 523
toughening, by metallic particles—comment (4) C73
by metallic particles—reply (4) C74
waste-, effect of Fe on leaching (3) 170
for wastes, nuclear (Savannah River Plant), chemical durability (6) 417

Grain boundaries,
composition, of hot-pressed Si_3N_4 with Y_2O_3 and Al_2O_3 (1) 14
diffusion, of ^{51}Cr in MgO and Cr-doped MgO (3) 191

Graphite,
polycrystalline, fracture mechanics, application of energy principle of elastic-plastic fracture (12) 868

Grinding,
Al_2O_3, polycrystalline, determination of residual surface stresses caused by (2) C16

Hafnium,
HfO_2, powders, oxidation of Hf chips during preparation of (2) 148
stabilized with Pr_6O_{11} or Tb_4O_7, elastic properties (3) C47
chips, in preparation of HfO_2 powders, oxidation of (2) 148
oxidation of, hydrothermal, reaction kinetics (11) 818

Halides,
simple, relations between boiling point and melting point (5) 380

Hardness,
dynamic, measurement by sharp-projectile impact (8) 580
micro-, of La-Si-O-N oxynitride glass (3) C55

Heat,
treatment, effect on Na^+ resistivity of vitreous SiO_2 (2) 120
treatments, reducing and oxidizing, of hot-pressed Si_3N_4, comparison of (2) 92

Hydration,
of C_2S, doped with ZnO (1) 1
effect of Na_2CO_3 on (4) 308
of cements, EPR evidence for osmotic mechanism (7) C106
and dehydration, of Na_2O-CaO glass, ir study during (3) 163
in pastes, of alite and portland cement, orthosilicate analysis as measure of (5) C86

Hydrogen,
ion, nonconformity of (11) 747

Hydroxides,
Mg-Ge, preparation and thermal behavior (9) C169

Immiscibility,
liquid, in system X_2O-MO-B_2O_3-SiO_2 (X = Na, K; M = Mg, Ca, Ba) and Na_2O-MgO-BaO-B_2O_3-SiO_2 (5) 347

Impact,
sharp-projectile, measurement of dynamic hardness by (8) 580

Impurities,
trace, effect of devitrification of SiO_2 (10) C188
effect on viscosity of vitreous silica (8) C134

Indentation,
Knoop and Vickers, comparison of (2) 127
impact, in MgF_2 elastic recovery at (11) 786
spherical, in hot-pressed ZnS, load: radial crack length relation for (4) 293
toughness, modified testing technique (11) C200

Infrared,
characteristics, of BaF_2/ThF_4-containing glasses effect of Al content (4) C64
spectra, of rapidly quenched glasses in systems Li_2O-RO-Nb_2O_5 (R = Ba,Ca,Mg) (2) 117
-transparent, mullite (12) 874

Insulation, thermal,
for space shuttle, fracture behavior (9) 641

Ions,
Ce^{3+} and As^{3+}, photochemical reaction in soda-lime-silica glass containing (10) C192
^{51}Cr, self-diffuson in Cr_2O_3 (11) C202
cations, distribution in Fe_3O_4-Fe_2TiO_4 thermoelectric determination (12) 829
hydrogen, nonconformity of (11) 747
transference numbers, and electrical conduction in $MgAl_2O_4$ spinel (1) 50

Iron,
Fe_2O_3, acicular powder, pore behavior in sintering (3) 210
Fe_3O_4-Fe_2TiO_4, cation distributions in, thermoelectric determination (12) 829
alpha-Fe_2O_3, O diffusion in (9) 664
effect on leaching, of waste-glass (3) 170
in glasses, borosilicate, oxidation equilibrium (3) 205
oxides, developed in fired clays, effect of reducing atm on (11) 773

Kaolin,
-mullite, reaction series, structural characterization of spinel phase (9) 610

Kinetics,
of ZrF_4-BaF_2-LaF_3 glass, by scanning calorimetry—reply to comment (11) C218
of ZrF_4-BaF_2-LaF_3 glass, by differential scanning calorimetry (4) 233
of beta"-to-beta transformation, in system Na_2O-Al_2O_3 (3) 166
crystallization, of ZrF_4-BaF_2-LaF_3 glass, by scanning calorimetry—comment (11) C218
of grain growth, in Al_2O_3, effect of MgO solute on (5) C90
reaction, in hydrothermal oxidation of Hf (11) 818
in system Ni-Ti-O (11) 811
redox, diffusion-controlled, in glassmelt (3) 188

Lanthanum,
$La_{1-x}Sr_xFeO_3$ (x = 0.1, 0.25), electronic conductivity, Seebeck coefficient, and defect structure (4) 247

Leaching,
glass, simulated nuclear waste, effect of gamma irradiation (12) 863
of waste glass, simulated, effect of gamma irradiation (9) C158
waste-glass, effect of Fe on (3) 170

Lead,
$PbBi_2Nb_2O_9$, grain-oriented, fabrication of (12) 881
PbO, and Nb_2O_5 in molten KCl or NaCl, products of reaction between (10) C195
PLZT, effect of Ag doping on properties (6) 408
in high electric fields, autocorrelation analysis of piezoelectric coupling (9) C166
PZT, sintering of, atm control (4) 253
sintering of, effect of PbO content on densification (4) 256
solid-solution, reaction sequence in formation (11) 790
titanate, La-modified, properties of (5) 363
zirconate-titanate, powders, characterization and sintering (10) 743

Lithium,
LiF, $BaTiO_3$ perovskite sintered with (11) 801
$LiNbO_3$, dielectric spectra, effect of piezoelectric grain resonance (9) 637
oxide, preparation, characterization, and melting point (9) 645

Luminescence,
of Zn silicate phosphor (8) C127

Magnesium oxide,
and Al_2O_3, effect of particle size on kinetics of reaction between (5) 383
and Cr-doped MgO, grain-boundary diffusion of ^{51}Cr in (3) 191
crystals, O_2 self-diffusion in (4) C60
diffusion in, O (9) 664
single-crystal, deformed, enhanced O_2 diffusion in (8) C144
sintering, structural rearrangement during (1) 77
surface, Ca segregation to (2) 111

Magnesium,
-Ge hydroxide, preparation and thermal behavior (9) C169
$Mg_2Zr_5O_{12}$, precipitation in MgO-partially-stabilized ZrO_2 (7) C107
MgF_2, elastic recovery at static loading and impact indentations (11) 786
MgO solute, effect on kinetics of grain growth in Al_2O_3 (5) C90
titanate, spinel, for radioactive wastes (10) C197

Magnetite,
Fe_3O_4-Fe_2TiO_4, cation distributions, thermoelectric determination (12) 829

Materials,
ceramic, crack resistance behavior (10) C181
dependence of elastic moduli on porosity (5) 366
glasslike, heat-resistant nonsilicate porous (3) 221
ir transmitting, mullite (12) 874

Measurement,
thermodynamic, and modeling of $<UC_{1-x}O_x>$ (5) 353
of thermopower, in oxides (8) 589

Mechanical properties,
of TiC, substoichiometric (8) 592
of fibers, waveguide, effect of drawing tension (5) C84
of mullite (10) 699
powders, synthesized Si (4) C58
structural reliability, of Y_2O_3-doped hot-pressed Si_3N_4 at elevated temps. (12) 884

Mechanics,
fracture, of polycrystalline graphite, application of energy principle of elastic-plastic fracture (12) 868

Melting,
point, of high-purity Li_2O (9) 645
of octalithium zirconate (8) C142
of simple halides and oxides, relation to boiling point (5) 380
reactions, of soda-lime-silicate glasses containing Na sulfate (12) C227

Melts,
glass-, diffusion-controlled redox kinetics in (3) 188
glass-forming, chemistry of U in (5) 340
processing, and properties of Ba-sialon glasses (5) 324

Metals,
and ceramics, solid-state bonding between (7) C117

Microscopy,
TEM, sphere-on-tape selected-area thinning of samples (12) C223
electron, of CVD β-Si_3N_4-TiN composites (8) 539
of annealed $(Ni,Zn,Co)Fe_2O_4$ (3) C44

Milling,
Al_2O_3, in methanol and methyl isobutyl ketone (7) 488
aqueous, of Al_2O_3, role of Na citrate (4) 242

Mineral wool,
behavior of, in strong acidic and alkaline media (12) 896

Minerals,
developed in fired clays, effect of reducing atm on (11) 773

Models,
for batch optimizing, glass (8) 574
elasticity, of porous sintered materials (12) 847
ion, multiatomic, for determination of Si diffusing unit in system Na_2O-CaO-SiO_2 (10) 714
phase-boundary reaction, for Cs penetration into glass (9) 605
physical, of electric glassmelting furnaces, criteria for (7) 519

Morphology,
of glasses, alkali silicate, relation to properties (11) 754

Mullite,
-ZrO_2 composites, sintered, microstructure (8) C125
ir-transparent (12) 874
matrix, ZrO_2 particles in, twin boundaries (2) 123
melt-grown, solid solution range and microstructure (9) 649
properties of, mechanical (10) 699

Niobium,
Nb_2O_5, and PbO in molten KCl or NaCl, products of reaction between (10) C195

Nitridation,
of glassmelts, aluminate, Si-free oxynitride glasses via (4) C69

Nuclear materials,
Cs, radioactive, immobilization in pyrolytic-C-coated zeolite (6) 389
PuC_{1-x}, thermodynamic values for (11) 782
PuO_{1-x}, thermodynamic values for (11) 782
SiC, neutron-irradiated, properties of (7) 529
$U_{0.85}Zr_{0.15}O_{2+x}$, solid solutions, O potential (10) C179
(U,Pu)C and (U,Pu)(C,O), fracture-surface energy and fracture toughness (3) 183
$<UC_{1-x}O_x>$, thermodynamic measurements and modeling (5) 353
UO_2, powders, relation of particle size distribution to sintering (11) 815
fuels, irradiated UO_2, effect of grain size on fission gas release (9) C150
microstructure and chemistry of Synroc-D (9) 629
uranium, in glass-forming melts, chemistry of (5) 340
waste glass, simulated, effect of gamma irradiation on leaching (9) C158
wastes, $CaAlSi_2O_{12}$ for disposal of, hydrothermal reaction and dissolution studies (6) 471
Savannah River Plant, chemical durability of glass containing (6) 417
Technetium-99, Mg titanate spinel for immobilization of (10) C197
dissolution of Synroc-D containing (6) 462
vitrified, neutron scattering studies (1) 72

Oils,
silazane, precursor to Si_3N_4 (1) C13

Optical materials,
antireflective, porous antireflective borosilicate glass, development of (4) 302
fiber preforms, improving thermophoretic particle collec-

tion efficiency in preparation of (2) C30
fibers, fluoride glass, strength and fatigue of (9) C151
proof-tested, strength of (3) C46
with surface particle damage, evaluation of fatigue constant *n* (8) 601
Optical properties,
of Pb titanate, La-modified (5) 363
absorption, of Ni^{2+} in mixed-alkali borate glasses (6) 434
of fibers, waveguide, effect of drawing tension (5) C84
Oxidation,
of Hf chips, in preparation of HfO_2 powders (2) 148
equilibrium, of Fe in borosilicate glasses (3) 205
hydrothermal, of Hf, reaction kinetics (11) 818
long-term, strength retention in SiC after (8) C120
-reduction, and ionic disorder in alpha-Al_2O_3 (10) 730
resistance, of Si_3N_4 fabricated in system Si_3N_4-Si_3N_4O-$Y_2Si_2O_7$ (6) C98
states, of U in alkali aluminoborate glasses (3) C41
Oxides,
simple, relations between boiling point and melting point (5) 380
surface contamination, removal from TiB_2 powders (11) C215
thermopower in, measurement and interpretation (8) 589
Oxygen,
diffusion, in MgO and alpha-Fe_2O_3 (9) 664
enhanced, in deformed single-crystal MgO (8) C144
potential, of $U_{0.85}Zr_{0.15}O_{2\pm}$, solid solutions (10) C179
self-diffusion, in crushed MgO-Al_2O_3 spinels, effect of surface area:vol ratio (8) C131
in single-crystal Al_2O_3, effect of surface condition (8) C130
in single-crystal Y_2O_3 (12) C222

Particles,
CaO, shapes and pore-size distribution during calcite decomposition in vacuum (12) 893
ZrO_2, in mullite matrix, twin boundaries in (2) 123
collection efficiency, thermophoretic, in optical-fiber-preform preparation, improvements (2) C30
compressed, during liquid-phase sintering, are liquids squeezed from between? (2) C33
are liquids squeezed from between? during liquid-phase sintering (2) C33
in laminar flow, in concentric annulus, thermophoretic deposition of (6) 439
metallic, toughening glasses by—reply (4) C74
toughening of glasses by—comment (4) C73
Periclase,
thermally shocked, XRD studies (4) C68
Permeability,
low temp. coeff., preparation of Mn-Zn ferrites having (7) C110
Perovskites,
$BaTiO_3$, sintered with LiF (11) 801
Phase equilibria,
of $Ba_2Ti_9O_{20}$ (1) 66
relations, and ordering, in system Er_2O_3-HfO_2 (2) 101
in system Li_2O-Fe_2O_3-TiO_2 (7) 479; (7) 479
in system Li_2O-ZrO_2-SiO_2 (10) C186
in system ZrO_2-CaO (4) 260
in systems, MgO-Y_2O_3-ZrO_2 and CaO-MgO-ZrO_2 (4) 265
stability, in system SiC-AlN (4) 272
systems, ZrO_2-Y_2O_3 (1) 23
rare-earth sesquioxide-BeO (12) 860
Phosphates,
metal, synthesis with SiP_2O_7 (11) C208
Phosphors,
Zn silicate, phase transitions and thermoluminescence (8) C127
Physicochemical properties,
of Li_2O, high-purity (9) 645
of Si_3N_4, isostatically hot-pressed (9) C173
of Si_3N_4-SiO_2-Ce_2O_3 compositions, sintered in high-pressure N (12) 835
of SiC, neutron-irradiated (7) 529
of composites, glass/Al_2O_3 (12) C229
of glass-ceramics, willemite, effect of thermal history on (3) 200
of glasses, Ba-sialon (5) 324
RO-GeO_2 (6) 414
alkali aluminofluorophosphate (10) 716
alkali silicate, relation to morphology (11) 754
rapidly quenched Li_2O-Al_2O_3-Nb_2O_5 (12) 890
in system AgI-Ag_2O-B_2O_3 (8) C122
of spinels, Fe-Mg-Al (6) C99
Physicomechanical properties,
of TiB_2, effect of microstructure (1) C2
Physics,
of fracture (2) 83
Pigments,
spinel, inverse (11) 794
Plasma,
etching, of sialon (9) C168
Plutonium,
$PuO_{1.8}$ and $PuC_{1.8}$, thermodynamic values for (11) 782
Pores,
breakaway, during sintering, experimental assessment (6) 456
Porosity,
of ceramic materials, dependence of elastic moduli on (5) 366
Porous materials,
sintered, elastic moduli (12) 847
field-property bounds (4) 238
Positrons,
annihilation, in phase-separated BaO-SiO_2 glasses (3) C37
Potassium,
KCl, molten, products of reaction between PbO and Nb_2O_5 in (10) C195
$KTaO_3$, dielectric properties (7) 511
Powders,
Al_2O_3, aggregated, compaction of (9) 655
spray-dried, stress transmission during compaction (9) 667
AlN, high-purity, synthesis and characterization (3) 217
$Bi_4Ti_3O_{12}$, preparation in presence of molten salt containing LiCl (8) 597
Fe_2O_3, acicular, pore behavior during sintering (3) 210
HfO_2, hydrothermal oxidation of Hf chips during preparation (2) 148
Pb zirconate-titanate, characterization and sintering (10) 743
Si, sintered and nitrided laser-synthesized, mechanical properties (4) C58
Si and related ceramics, fundamentals of preparing suspensions of (5) C79
SiC, ultrafine, effect of chemical composition on sinterability (7) C114
TiB_2, removal of oxide contamination from (11) C215
UO_2, relation of particle-size distribution to sintering (11) 815
ZrO_2, coprecipitated with Al_2O_3 by spray-ICP, stability of (11) 751
ultrafine tetragonal, hydrothermal formation of (1) 11
ultrafine tetragonal, hydrothermal formation of—correction (5) 388
beta-SiC, produced by carbothermic reduction of SiO_2 (7) C111
precursors, for sulfides, prepared by evaporative decomposition (11) C205
ternary sulfide, preparation, sintering, and hot-pressing (1) 18
Precipitates,
alpha-Al_2O_3, in rutile single crystals, identification of (12) C225
Precipitation,
of $Mg_4Zr_5O_{12}$, in MgO-partially-stabilized ZrO_2 (7) C107
in system NiO-Cr_2O_3 (8) 566
Protons,
H ion, nonconformity of (11) 747

Quenching,
twin-roller, of glasses in system Li ortho-oxosalts (11) C210

Radiation,
gamma, effect on dc resistivity of GeO_2 (4) C62
effect on leaching of simulated nuclear waste glass (12) 863
effect on simulated waste glass leaching and on leach vessel (9) C158
effects on strength of borosilicate glass (5) 311
gamma-ray, interaction with Pb borate and Pb silicate glasses containing Mn (6) 447
Radioactive tracers,
for measuring relative surface areas, of small samples (7) C115
Reactions,
of anatase and rutile, with Ba carbonate (10) 733
between MgO and Al_2O_3, effect of particle size on kinetics (5) 383
photochemical, in reduced soda-lime-silica glass containing Ce^{3+} and As^{3+} (10) C192
in systems, Ni-Ti-O, mechanism and kinetics (11) 811
Refractories,
ZrO_2, CaO-stabilized with borates, densification of (2) C20
mullite-matrix aluminosilicate, linear thermal expansion coeffs. (12) 823
thick-walled, segmented, analysis of thermal stress failure (10) 708
Resistivity, electrical,
Na^+, resistivity of vitreous SiO_2, effect of heat treatment on (2) 120
PTCR characteristics, of semiconducting $BaTiO_3$ (11) C214
dc, of GeO_2, effect of γ radiation (4) C62
grain-boundary, of stabilized ZrO_2 films (9) C164
Resonance,
EPR, evidence for osmotic mechanism of cement hydration (7) C106
Rocks,
Synroc-D, microstructure and mineral chemistry (9) 629
synthetic, identification of BaO-Al_2O_3-$5TiO_2$ in system BaO-Al_2O_3-TiO_2 (10) C182
Rutile,
reaction, with Ba carbonate (10) 733
Salts,
molten, containing LiCl, preparation of $Bi_4Ti_3O_{12}$ powders in presence of (8) 597
Sampling,
for microscopy, TEM, sphere-on-tape method of selected-area thinning (12) C223
Scandium,
$CsAlSi_5O_{12}$, nuclear waste ceramic, hydrothermal reaction and dissolution studies (6) 471
Scattering,
X-ray, studies of glasses in system ZrF_4-BaF_2 (7) 523
neutron, characterization of creep cavitation of sintered Al_2O_3 by (8) C146
studies of vitrified radioactive wastes (1) 72
Seals and sealing,
split ring, viscoelastic analysis of (2) 135
Semiconductors,
$BaTiO_3$, PTCR characteristics (11) C214
Shear,
moduli, of composites with elliptical inclusions (3) C52
twinning, in Al_2O_3 (9) C161
Shock,
thermal, of brittle materials, effect of drop height on critical temp. difference (10) C194
Sialons,
Ba-, glasses, melt processing and properties (5) 324
etching of, plasma (9) C168
Silicates,
mullite-matrix alumino-, refractories, linear thermal expansion coeffs. (12) 823
ortho-, analysis, as measure of hydration (5) C86
Silicon carbide,
/AlN, composite, effect of hot-pressing temp. on thermal diffusivity/conductivity (3) C40
beta-, powders, produced by reduction of SiO_2 (7) C111
coatings, for nuclear fuels, Raman spectral analysis (6) 424
crack growth, determination of threshold stress intensity for (5) 338
neutron-irradiated, mechanical, thermal, and microstructural properties (7) 529
powders, ultrafine, effect of chemical composition on sinterability (7) C114
sintered, static fatigue limit at high temps. (11) 769
strength retention, after long-term oxidation (8) C120
toughening in, intergranular crack-deflection (6) C94
Silicon dioxide,
fibrous, fracture toughness/Young's modulus correlation (4) 288
fume, effect on pore-solution chemistry of cement pastes (5) C82
in hermetic environment, static fatigue of (3) C38
reduction of, carbothermic, production of β-SiC powders by (7) C111
transversely isotropic, double-cantilever-beam testing of (1) 46
vitreous, effect of heat treatment on Na^+ resistivity (2) 120
effect of trace impurities on devitrification (10) C188
effect of trace impurity on viscosity (8) C134
stress corrosion, molecular mechanism for (4) 284
Silicon nitride,
-SiO_2-Ce_2O_3 compositions, sintered in N, characteristics of (12) 835
alpha-, solid solutions, formation in system Si_3N_4-AlN-Y_2O_3 (6) C96
beta-, coatings, formation by CVD (1) C8
fabricated in system Si_3N_4-Si_3N_4O-$Y_2Si_2O_7$, compressive creep and oxidation resistance (6) C98
hot-pressed, with Y_2O_3 and Al_2O_3, microstructure and grain-boundary composition (1) 14
Y_2O_3-doped, structural reliability at elevated temps. (12) 884
comparison of reducing and oxidizing heat treatments (2) 92
effect of high-temp. exposure in air on strength (3) C53
high-temp. strength degradation (2) 156
preoxidized, static fatigue of (2) C31
properties of (9) C173
precursor to, liquid silazane (1) C13
reaction-bonded, dynamic fracture toughness (2) 151
fracture strength tests on (11) 765
reaction-bonding of, diffusional, under high pressure (8) C135
Silicon,
SiP_2O_7, synthesis of metal phosphates from (11) C208
diffusing unit, in system Na_2O-CaO-SiO_2, determination with multiatomic ion model (10) 714
erosion of, solid-particle, velocity exponent (10) C184
fibers, effect of B on interdiffusion in SiC during conversion to SiC (8) C141
powders, fundamentals of preparing suspensions of (5) C79
synthesized, mechanical properties (4) C58
Silver,
doping, effect on properties of PLZT (6) 408
Sintering,
of MgO, structural rearrangement during (1) 77
of PZT, atm control (4) 253
effect of PbO content on densification (4) 256
liquid-phase, of TiC-Ni composites (12) 841
are liquids squeezed from between compressed particles? (2) C33
are liquids squeezed from between particles? (2) C33
pore breakaway during, experimental assessment (6) 456
powders, Pb zirconate-titanate (10) 743
UO_2, relation of particle size distribution to (11) 815
acicular Fe_2O_3, pore behavior during (3) 210
ultrafine SiC, effect of chemical composition (7) C114
Sodium,
Na_2CO_3, effect on hydration of C_3S (4) 308

Na⁺, resistivity of vitreous SiO_2, effect of heat treatment on (2) 120
NaCl, molten, products of reaction between PbO and Nb_2O_5 in (10) C195
citrate, role in aqueous milling of Al_2O_3 (4) 242
sulfate, melting reactions of soda-lime-silicate glasses containing (12) C227

Solids,
brittle, anisotropic, critical grain size/preexisting flaw size relations (10) 726

Solubility,
solid, of GeO_2 in SnO_2 (7) C104
in system NiO-Cr_2O_3 (8) 566

Solutions, solid,
PZT, reaction sequence in formation (11) 790
$U_{0.85}Zr_{0.15}O_{2+x}$, O potential (10) C179
$ZrTiO_4$ and $ZrTiO_4$-SnO_2, phase transition in (2) C18
alpha-Si_3N_4, in system Si_3N_4-AlN-Y_2O_3, formation of (6) C96
ionic, spinodal decomposition in (6) 451
mullite, melt-grown, range and microstructure (9) 649

Solutions,
acidic and alkaline, strong, behavior of glass fibers in (12) 896

Spacecraft,
shuttle, fracture behavior of thermal protection system (9) 641

Spectra,
Raman, of K borogermanate glasses with high B_2O_3 content (4) C71
dielectric, of $LiNbO_3$, effect of piezoelectric grain resonance (9) 637
ir, of rapidly quenched glasses in system Li_2O-RO-Nb_2O_5 (R = Ba,Ca,Mg) (2) 117

Spheres,
composite, viscoelastic analysis of thermal stresses (1) 59
viscoelastic analysis of thermal stresses—correction (3) 232

Spinels,
Fe-Mg-Al, preparation and properties (6) C99
Mg titanate, for immobilization of radioactive wastes (10) C197
$MgAl_2O_4$, ionic transference numbers and electrical conduction (1) 50
MgO-Al_2O_3, crushed, effect of surface area:vol ratio on O_2 self-diffusion (8) C131
decomposition, in K_2O-Al_2O_3-CaO-SiO_2 glass (9) C171
phase, in kaolin-mullite series, structural characterization through lattice energy (9) 610
pigments, inverse (11) 794

Stability,
of ZrO_2, ultrafine, coprecipitated with Al_2O_3 by spray-ICP (11) 751
phase, in system SiC-AlN (4) 272

Steatite,
ceramics, microstructure and deterioration (2) C26

Strength,
of Si_3N_4, Y_2O_3-doped hot-pressed, at elevated temps. (12) 884
hot-pressed, effect of high-temp. exposure in air (3) C53
of ceramics, biaxial-flexure test for evaluating (1) 36
degradation, of hot-pressed Si_3N_4 (2) 156
fatigue, of sintered SiC at high temps. (11) 769
of fibers, fluoride glass (9) C151
proof-tested optical (3) C46
fracture, controlled-surface-flaw, effect of indenter geometry on (4) 277
dynamic, of reaction-bonded Si_3N_4 (2) 151
of glasses, borosilicate, γ radiation effects on (5) 311
retention, in SiC after long-term oxidation (8) C120
tests, modified indentation (11) C200
notched-beam and indentation for Al_2O_3-ZrO_2 composites, comparison of K_{IC} values (2) C27

Strengthening,
by ZrO_2, monoclinic (5) 328
glass, by metallic particles—comment (4) C73
by metallic particles—reply (4) C74
intergranular crack-deflection, in SiC (6) C94
surface, of brittle materials, by residual stress distribution (11) 807
transformation, of beta″-Al_2O_3 with tetragonal ZrO_2 (3) C50

Stresses,
concentration, residual, theory of fatigue for brittle flaws originating from (5) 314
corrosion, in vitreous SiO_2, molecular mechanism for (4) 284
distribution, compressive surface strengthening of brittle materials by (11) 807
factors, for composite plates in antiplane loading, application of electrical (5) C87
intensity, for crack growth in SiC, determination of (5) 338
surface, from induced phase transformation, factors influencing (9) 623
residual, caused by grinding polycrystalline Al_2O_3, determination of (2) C16
thermal, in composite sphere, viscoelastic analysis—correction (3) 232
in composite spheres, viscoelastic analysis (1) 59
failure of segmented thick-walled refractories, analysis (10) 708
transmission, during compaction of Al_2O_3 powders (9) 667

Strontium,
$SrTiO_3$, La-doped, strongly reduced and quenched, conductivity of (2) C22

Structure, micro-,
of Si_3N_4, hot-pressed, with Y_2O_3 and Al_2O_3 (1) 14
of Synroc-D (9) 629
of TiB_2, effect on properties (1) C2
of composites, sintered mullite-ZrO_2 (8) C125
of films, graded-index antireflective (1) C6
in glasses, hydrated silicate (2) C24
of mullite, melt-grown (9) 649
of steatite ceramics (2) C26

Structure,
crystal, of microwave dielectric resonator $Ba_2Ti_9O_{20}$ (4) 268
defect, of $La_{1-x}Sr_xFeO_3$ (x = 0.1, 0.25) (4) 247
of glasses, RO-GeO_2 (6) 414
rapidly quenched Li_2O-Al_2O_3-Nb_2O_5 (12) 890
rearrangement, during sintering of MgO (1) 77

Substrates,
Al_2O_3, growth of β-Al_2O_3 on (9) C154

Sulfides,
powders, precursor for, prepared by evaporative decomposition (11) C205
ternary, powder preparation, sintering, and hot-pressing (1) 18

Surface,
MgO, Ca segregation to (2) 111
areas, of small samples, radioactive tracer method for measuring (7) C115
compression, in ZrO_2 ceramics, method for introducing (10) C178
damage, and fracture behavior of glass-ceramics, effect of crystallites (10) 673
glass, soda-lime silicate, F treatments of (8) C123
saturation, in saturated ceramic bodies, effect on transfer of water (5) C89
stresses, residual, from induced phase transformation, factors influencing (9) 623

Suspensions,
Al_2O_3, in methanol and methyl isobutyl ketone, behavior of (7) 488
of powders, Si and related ceramics, fundamentals of preparing (5) C79

Synthesis,
of AlN, high-purity powder (3) 217
of TiB_2, by implantation of B ions in Ti films (5) C78
of metal phosphates, from SiP_2O_7 (11) C208

Systems,
BaO-Al_2O_3-TiO_2, identification of BaO-Al_2O_3-TiO_2 in (10) C182
CaO-SiO_2-H_2O, estimation of thermochemical data (12) C220
Er_2O_3-HfO_2, phase relations and ordering (2) 101
Fe_2O_4-Fe_2TiO_4, cation distributions, thermoelectric determination (12) 829
Li ortho-oxosalts, preparation of quenched glasses in (11) C210
Li_2O-Fe_2O_3-TiO_2, crystal chemistry and phase relations (7) 479; (7) 479
Li_2O-ZrO_2-SiO_2, phase relations (10) C186
MgO-Y_2O_3-ZrO_2 and CaO-MgO-ZrO_2, phase relations and ordering (4) 265
Na_2O-Al_2O_3, kinetics of β''-to-β transformation (3) 166
Na_2O-CaO-SiO_2, determination of Si diffusing unit with ion model (10) 714
Ni-Ti-O, mechanism and kinetics of reactions (11) 811
NiO-CaO, directionally solidified eutectic, crystallography (9) C162
NiO-Cr_2O_3, precipitation and solid solubility (8) 566
Si_3N_4-AlN-Y_2O_3, formation of alpha-Si_3N_4 solid solutions in (6) C96
Si_3N_4-SiO_2-Ce_2O_3, compositions sintered in N, characteristics of (12) 835
X_4-MO-B_2O_3-SiO_2 (X = Na, K; M = Mg, Ca, Ba) and Na_2O-MgO-BaO-B_2O_3-SiO_2, liquid immiscibility in (5) 347
Zn_2TiO_4-Co_2TiO_4-Ni_2TiO_4, pigments in (11) 794
ZrO_2-CaO, stable and metastable phase relations in (4) 260
ZrO_2-CeO_2, phase diagram, revised (7) 506
ZrO_2-Y_2O_3, subsolidus phase equilibria (1) 23
rare-earth sesquioxide-BeO, phase equilibria (12) 860

Temperature,
difference, for brittle ceramics shocked by quenching in water, effect of drop height (10) C194
liquidus, in gel-derived Na_2O-SiO_2 glass, elevation of (2) 132

Testing,
double-cantilever-beam, of fibrous SiO_2 (1) 46

Tests,
biaxial-flexure, for evaluating strength of ceramics (1) 36
experimental, on high-temp. strength degradation of hot-pressed Si_3N_4 (2) 156
fracture, MOR, ball-on-ring, and rotational, Weibull statistics for correlating (11) 765
indentation, Knoop and Vickers, comparison (2) 127
radioactive tracer, for measuring relative surface areas of small samples (7) C115
stress, for composite plates in antiplane loading (5) C87
toughness, modified indentation (11) C200

Thermal properties,
of Mg-Ge hydroxide (9) C169
conductivity, of silicate and borate glasses (5) C76
diffusivity/conductivity, of SiC/AlN composites, effect of hot-pressing temp. (3) C40
expansion, of alkali borate glasses (3) 225
of mullite-matrix aluminosilicate refractories (12) 823
of substituted Cu aluminosilicate glasses (1) 33
shock resistance, of brittle ceramics, effect of ΔT- and spatially varying heat transfer coeff. on (1) 53

Thermodynamics,
values, for $PuO_{1.5}$ and $PuC_{1.5}$ (11) 782

Titanium carbide,
substoichiometric, mechanical properties (8) 592

Titanium,
TiB_2, effect of microstructure on properties (1) C2
powders, removal of oxide contamination from (11) C215
TiC-Ni composites, liquid-phase sintering of (12) 841

Transformations,
beta″-to-beta, in system Na_2O-Al_2O_3, kinetics of (3) 166
phase, stress-induced, factors influencing residual surface stresses due to (9) 623
and thermoluminescence of plasma-sprayed Zn silicate phosphor (8) C127
strengthening, of beta″-Al_2O_3 with tetragonal ZrO_2 (3) C50

Transitions,
glass, sub-sub-, enthalpy relaxation, in B_2O_3 glass (9) 613
phase, in $ZrTiO_4$ and $ZrTiO_4$-SnO_2 solid solutions (2) C18

Transparency,
of glasses, La-Si-O-N oxynitride (3) C55

Transparent materials,
ir, mullite (12) 874

Uranium,
<$UC_{1-x}O_x$>, thermodynamic measurements and modeling (5) 353
UO_2, irradiated fuel, effect of grain size on fission gas release (9) C150
powders, relation of particle size distribution to sintering (11) 815
in glasses, alkali aluminoborate, oxidation states (3) C41
in melts, glass-forming, chemistry of (5) 340

Velocity,
exponent, in solid-particle erosion of Si (10) C184

Viscosity,
of vitreous silica, effect of trace impurity (8) C134

Volume,
specific, diagrams for ceramic processing (4) 297

Wastes,
nuclear, $CsAlSi_5O_{12}$ for disposal of, hydrothermal reaction and dissolution studies (6) 471
dissolution of Synroc-D containing (6) 462
radioactive, Technetium-99, Mg titanate spinel for immobilization of (10) C197
effect of gamma irradiation on leaching of glass (12) 863
vitrified, neutron scattering studies (1) 72

Water,
transfer, in saturated ceramic bodies, effect of surface saturation on (5) C89
vapor, role in crystallite growth and phase transformation of ZrO_2 (3) 196

Waveguides,
fiber, effect of drawing tension on optical and mechanical properties (5) C84

Waves,
micro-, clinkering, with grooved resonant applicator (12) 855

Whiteware,
steatite, microstructure and deterioration in (2) C26

Willemite,
glass-ceramic, effect of thermal history on properties (3) 200

Yttrium,
Y_2O_3, single-crystal, O self-diffusion in (12) C222

Zeolites,
pyrolytic-C-coated, immobilization of radioactive Cs in (6) 389

Zinc,
ZnO, polymorphism and hydration of C_2S doped with (1) 1
ZnS, hot-pressed, load: radial crack length relation for spherical indentations (4) 293

Zirconates,
octalithium, preparation and melting point (8) C142

Zirconium dioxide,
+ 8 mol% Sc_2O_3, annealed, TEM of (3) 213
MgO-partially-stabilized, precipitation of $Mg_2Zr_5O_{371}$ (7) C107
ceramics, technique for introducing surface compression into (10) C178
cubic, MgO-stabilized, effect of thermal decomposition on mechanical properties (5) 358
films, grain-boundary resistivity (9) C164
monoclinic, toughening by (5) 328
in mullite matrix, twin boundaries in (2) 123
partially stabilized, plastic deformation of (11) C212
phase transformation of, role of water vapor (3) 196
powder, ultrafine tetragonal, formation of (1) 11
ultrafine tetragonal, formation of—correction (5) 388
refractories, CaO-stabilized with borates, densification of (2) C20
stabilized with Pr_6O_{11} or Tb_4O_7, elastic properties (3) C47
tetragonal, coprecipitated with Al_2O_3 by spray-ICP, stability of (11) 751